

Fertiliser *Selection* Guide

BURDEKIN REGION

Your guide

to the Wilmar AgServices
Bio Dunder® Liquid Fertiliser
range of products.



WILMAR AGSERVICES
DATE OF ISSUE: MAY 2023



TABLE OF CONTENTS

PLANT & RATOON CANE

Nitrogen Products (NKS) Page 3 - 6

Phosphorous Products (NPKS) Page 7 - 15

NB: All analyses in this booklet are expressed as %w/v

PRODUCT INDEX

| PRODUCT | PAGE | PRODUCT | PAGE | PRODUCT | PAGE |
|----------------------------|------|----------------------|------|----------------------|------|
| BIO DUNDER® | 4 | LIQUID ONE SHOT® | 3 | MKY 150 | 4 |
| BIO DUNDER® OG (ORGANIC) | 6 | LIQUID ONE SHOT® + P | 9 | MKY 150P | 12 |
| BKN 200 | 7 | LIQUID PREPLANT | 9 | MKY 160 | 4 |
| BKN 230 | 7 | LO N PLANTER | 7 | MKY 160P | 11 |
| BKN LO P | 15 | LO P PLANTER | 14 | MKY 170 | 4 |
| COMET 3 | 13 | LO P RATOONER | 8 | MKY 170P | 11 |
| COMPANION 2 | 14 | LUCERNE | 13 | MKY 180P | 10 |
| CORN 1 | 9 | MID N | 3 | MKY 190P | 10 |
| CORN 2 | 10 | MID N + P | 8 | PMR 1 | 11 |
| ECONO LIQUID ONE SHOT® | 3 | MKY 60 | 6 | PMR 2 | 11 |
| ECONO LIQUID ONE SHOT® + P | 9 | MKY 70 | 6 | PUMPKIN 1 | 14 |
| EMERALD 2 | 8 | MKY 80 | 5 | QPREPLANT 1 | 12 |
| EMERALD 4 | 8 | MKY 100 | 5 | SOY STARTER | 15 |
| HALL 2 | 14 | MKY 110 | 5 | SPRING 1 | 10 |
| HI N | 3 | MKY 120P | 13 | SUNFLOWER 1 | 13 |
| HI N + P | 7 | MKY 130P | 12 | VILLIS MUNG BEAN MIX | 6 |
| LIQUID 50/50 | 5 | MKY 140P | 12 | | |

LEGEND

N
Nitrogen

P
Phosphorus

K
Potassium

S
Sulphur

Ca
Calcium

Mg
Magnesium

OC
Organic carbon

NITROGEN PRODUCTS

| HI N | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 7.69 | 0.00 | 2.54 | 0.57 | 0.53 | 0.35 | 8.76 |
| 1.0 | 76.9 | 0.0 | 25.4 | 5.7 | 5.3 | 3.5 | 87.6 |
| 2.0 | 153.9 | 0.0 | 50.8 | 11.4 | 10.5 | 7.0 | 175.2 |
| 2.5 | 192.3 | 0.0 | 63.5 | 14.2 | 13.1 | 8.8 | 219.1 |
| 2.6 | 200.0 | 0.0 | 66.1 | 14.8 | 13.7 | 9.1 | 227.8 |
| 2.7 | 207.7 | 0.0 | 68.6 | 15.3 | 14.2 | 9.5 | 236.6 |
| 2.8 | 215.4 | 0.0 | 71.1 | 15.9 | 14.7 | 9.8 | 245.3 |
| 2.9 | 223.1 | 0.0 | 73.7 | 16.5 | 15.2 | 10.2 | 254.1 |
| 3.0 | 230.8 | 0.0 | 76.2 | 17.0 | 15.8 | 10.5 | 262.9 |
| 3.1 | 238.5 | 0.0 | 78.8 | 17.6 | 16.3 | 10.9 | 271.6 |
| 3.2 | 246.2 | 0.0 | 81.3 | 18.2 | 16.8 | 11.2 | 280.4 |
| 3.3 | 253.9 | 0.0 | 83.9 | 18.7 | 17.3 | 11.6 | 289.2 |
| 3.4 | 261.6 | 0.0 | 86.4 | 19.3 | 17.9 | 11.9 | 297.9 |
| 3.5 | 269.3 | 0.0 | 88.9 | 19.9 | 18.4 | 12.3 | 306.7 |
| 3.6 | 277.0 | 0.0 | 91.5 | 20.5 | 18.9 | 12.6 | 315.4 |
| 3.7 | 284.7 | 0.0 | 94.0 | 21.0 | 19.5 | 13.0 | 324.2 |
| 3.8 | 292.4 | 0.0 | 96.6 | 21.6 | 20.0 | 13.3 | 333.0 |
| 3.9 | 300.1 | 0.0 | 99.1 | 22.2 | 20.5 | 13.7 | 341.7 |
| 4.0 | 307.7 | 0.0 | 101.6 | 22.7 | 21.0 | 14.0 | 350.5 |
| 4.1 | 315.4 | 0.0 | 104.2 | 23.3 | 21.6 | 14.4 | 359.3 |
| 4.2 | 323.1 | 0.0 | 106.7 | 23.9 | 22.1 | 14.7 | 368.0 |
| 4.3 | 330.8 | 0.0 | 109.3 | 24.4 | 22.6 | 15.1 | 376.8 |
| 4.4 | 338.5 | 0.0 | 111.8 | 25.0 | 23.1 | 15.4 | 385.5 |
| 4.5 | 346.2 | 0.0 | 114.3 | 25.6 | 23.7 | 15.8 | 394.3 |
| 4.6 | 353.9 | 0.0 | 116.9 | 26.1 | 24.2 | 16.1 | 403.1 |
| 4.7 | 361.6 | 0.0 | 119.4 | 26.7 | 24.7 | 16.5 | 411.8 |
| 4.8 | 369.3 | 0.0 | 122.0 | 27.3 | 25.2 | 16.8 | 420.6 |
| 4.9 | 377.0 | 0.0 | 124.5 | 27.8 | 25.8 | 17.2 | 429.3 |
| 5.0 | 384.7 | 0.0 | 127.1 | 28.4 | 26.3 | 17.5 | 438.1 |

| MID N | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 5.72 | 0.00 | 2.64 | 0.49 | 0.55 | 0.36 | 9.10 |
| 1.0 | 57.2 | 0.0 | 26.4 | 4.9 | 5.5 | 3.6 | 91.0 |
| 2.0 | 114.4 | 0.0 | 52.8 | 9.9 | 10.9 | 7.3 | 182.0 |
| 2.5 | 143.0 | 0.0 | 66.0 | 12.4 | 13.7 | 9.1 | 227.6 |
| 2.6 | 148.7 | 0.0 | 68.6 | 12.9 | 14.2 | 9.5 | 236.7 |
| 2.7 | 154.4 | 0.0 | 71.3 | 13.4 | 14.7 | 9.8 | 245.8 |
| 2.8 | 160.1 | 0.0 | 73.9 | 13.8 | 15.3 | 10.2 | 254.9 |
| 2.9 | 165.8 | 0.0 | 76.5 | 14.3 | 15.8 | 10.6 | 264.0 |
| 3.0 | 171.6 | 0.0 | 79.2 | 14.8 | 16.4 | 10.9 | 273.1 |
| 3.1 | 177.3 | 0.0 | 81.8 | 15.3 | 16.9 | 11.3 | 282.2 |
| 3.2 | 183.0 | 0.0 | 84.5 | 15.8 | 17.5 | 11.7 | 291.3 |
| 3.3 | 188.7 | 0.0 | 87.1 | 16.3 | 18.0 | 12.0 | 300.4 |
| 3.4 | 194.4 | 0.0 | 89.7 | 16.8 | 18.6 | 12.4 | 309.5 |
| 3.5 | 200.2 | 0.0 | 92.4 | 17.3 | 19.1 | 12.7 | 318.6 |
| 3.6 | 205.9 | 0.0 | 95.0 | 17.8 | 19.7 | 13.1 | 327.7 |
| 3.7 | 211.6 | 0.0 | 97.7 | 18.3 | 20.2 | 13.5 | 336.8 |
| 3.8 | 217.3 | 0.0 | 100.3 | 18.8 | 20.8 | 13.8 | 345.9 |
| 3.9 | 223.0 | 0.0 | 102.9 | 19.3 | 21.3 | 14.2 | 355.0 |
| 4.0 | 228.8 | 0.0 | 105.6 | 19.8 | 21.8 | 14.6 | 364.1 |
| 4.1 | 234.5 | 0.0 | 108.2 | 20.3 | 22.4 | 14.9 | 373.2 |
| 4.2 | 240.2 | 0.0 | 110.9 | 20.8 | 22.9 | 15.3 | 382.3 |
| 4.3 | 245.9 | 0.0 | 113.5 | 21.3 | 23.5 | 15.7 | 391.4 |
| 4.4 | 251.6 | 0.0 | 116.1 | 21.8 | 24.0 | 16.0 | 400.5 |
| 4.5 | 257.4 | 0.0 | 118.8 | 22.3 | 24.6 | 16.4 | 409.6 |
| 4.6 | 263.1 | 0.0 | 121.4 | 22.7 | 25.1 | 16.7 | 418.7 |
| 4.7 | 268.8 | 0.0 | 124.1 | 23.2 | 25.7 | 17.1 | 427.8 |
| 4.8 | 274.5 | 0.0 | 126.7 | 23.7 | 26.2 | 17.5 | 436.9 |
| 4.9 | 280.2 | 0.0 | 129.3 | 24.2 | 26.8 | 17.8 | 446.0 |
| 5.0 | 285.9 | 0.0 | 132.0 | 24.7 | 27.3 | 18.2 | 455.1 |

| LIQUID ONE SHOT® | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 4.73 | 0.00 | 2.69 | 0.46 | 0.56 | 0.37 | 9.27 |
| 1.0 | 47.3 | 0.0 | 26.9 | 4.6 | 5.6 | 3.7 | 92.7 |
| 2.0 | 94.6 | 0.0 | 53.8 | 9.2 | 11.1 | 7.4 | 185.4 |
| 2.5 | 118.3 | 0.0 | 67.2 | 11.4 | 13.9 | 9.3 | 231.8 |
| 2.6 | 123.0 | 0.0 | 69.9 | 11.9 | 14.5 | 9.6 | 241.1 |
| 2.7 | 127.8 | 0.0 | 72.6 | 12.4 | 15.0 | 10.0 | 250.3 |
| 2.8 | 132.5 | 0.0 | 75.3 | 12.8 | 15.6 | 10.4 | 259.6 |
| 2.9 | 137.2 | 0.0 | 78.0 | 13.3 | 16.1 | 10.8 | 268.9 |
| 3.0 | 141.9 | 0.0 | 80.7 | 13.7 | 16.7 | 11.1 | 278.2 |
| 3.1 | 146.7 | 0.0 | 83.4 | 14.2 | 17.2 | 11.5 | 287.4 |
| 3.2 | 151.4 | 0.0 | 86.0 | 14.6 | 17.8 | 11.9 | 296.7 |
| 3.3 | 156.1 | 0.0 | 88.7 | 15.1 | 18.4 | 12.2 | 306.0 |
| 3.4 | 160.9 | 0.0 | 91.4 | 15.6 | 18.9 | 12.6 | 315.2 |
| 3.5 | 165.6 | 0.0 | 94.1 | 16.0 | 19.5 | 13.0 | 324.5 |
| 3.6 | 170.3 | 0.0 | 96.8 | 16.5 | 20.0 | 13.4 | 333.8 |
| 3.7 | 175.1 | 0.0 | 99.5 | 16.9 | 20.6 | 13.7 | 343.1 |
| 3.8 | 179.8 | 0.0 | 102.2 | 17.4 | 21.1 | 14.1 | 352.3 |
| 3.9 | 184.5 | 0.0 | 104.9 | 17.9 | 21.7 | 14.5 | 361.6 |
| 4.0 | 189.3 | 0.0 | 107.6 | 18.3 | 22.3 | 14.8 | 370.9 |
| 4.1 | 194.0 | 0.0 | 110.2 | 18.8 | 22.8 | 15.2 | 380.1 |
| 4.2 | 198.7 | 0.0 | 112.9 | 19.2 | 23.4 | 15.6 | 389.4 |
| 4.3 | 203.5 | 0.0 | 115.6 | 19.7 | 23.9 | 15.9 | 398.7 |
| 4.4 | 208.2 | 0.0 | 118.3 | 20.1 | 24.5 | 16.3 | 408.0 |
| 4.5 | 212.9 | 0.0 | 121.0 | 20.6 | 25.0 | 16.7 | 417.2 |
| 4.6 | 217.7 | 0.0 | 123.7 | 21.1 | 25.6 | 17.1 | 426.5 |
| 4.7 | 222.4 | 0.0 | 126.4 | 21.5 | 26.1 | 17.4 | 435.8 |
| 4.8 | 227.1 | 0.0 | 129.1 | 22.0 | 26.7 | 17.8 | 445.1 |
| 4.9 | 231.8 | 0.0 | 131.8 | 22.4 | 27.3 | 18.2 | 454.3 |
| 5.0 | 236.6 | 0.0 | 134.4 | 22.9 | 27.8 | 18.5 | 463.6 |

| ECONO LIQUID ONE SHOT® | | | | | | | |
|------------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 4.25 | 0.00 | 2.71 | 0.44 | 0.56 | 0.37 | 9.35 |
| 1.0 | 42.5 | 0.0 | 27.1 | 4.4 | 5.6 | 3.7 | 93.5 |
| 2.0 | 85.0 | 0.0 | 54.3 | 8.8 | 11.2 | 7.5 | 187.1 |
| 2.5 | 106.3 | 0.0 | 67.8 | 11.0 | 14.0 | 9.4 | 233.9 |
| 2.6 | 110.6 | 0.0 | 70.5 | 11.4 | 14.6 | 9.7 | 243.2 |
| 2.7 | 114.8 | 0.0 | 73.2 | 11.9 | 15.2 | 10.1 | 252.6 |
| 2.8 | 119.1 | 0.0 | 76.0 | 12.3 | 15.7 | 10.5 | 261.9 |
| 2.9 | 123.3 | 0.0 | 78.7 | 12.8 | 16.3 | 10.9 | 271.3 |
| 3.0 | 127.6 | 0.0 | 81.4 | 13.2 | 16.8 | 11.2 | 280.6 |
| 3.1 | 131.8 | 0.0 | 84.1 | 13.6 | 17.4 | 11.6 | 290.0 |
| 3.2 | 136.1 | 0.0 | 86.8 | 14.1 | 18.0 | 12.0 | 299.3 |
| 3.3 | 140.3 | 0.0 | 89.5 | 14.5 | 18.5 | 12.3 | 308.7 |
| 3.4 | 144.6 | 0.0 | 92.2 | 15.0 | 19.1 | 12.7 | 318.1 |
| 3.5 | 148.8 | 0.0 | 94.9 | 15.4 | 19.6 | 13.1 | 327.4 |
| 3.6 | 153.1 | 0.0 | 97.7 | 15.8 | 20.2 | 13.5 | 336.8 |
| 3.7 | 157.3 | 0.0 | 100.4 | 16.3 | 20.8 | 13.8 | 346.1 |
| 3.8 | 161.6 | 0.0 | 103.1 | 16.7 | 21.3 | 14.2 | 355.5 |
| 3.9 | 165.8 | 0.0 | 105.8 | 17.2 | 21.9 | 14.6 | 364.8 |
| 4.0 | 170.1 | 0.0 | 108.5 | 17.6 | 22.5 | 15.0 | 374.2 |
| 4.1 | 174.3 | 0.0 | 111.2 | 18.0 | 23.0 | 15.3 | 383.5 |
| 4.2 | 178.6 | 0.0 | 113.9 | 18.5 | 23.6 | 15.7 | 392.9 |
| 4.3 | 182.8 | 0.0 | 116.6 | 18.9 | 24.1 | 16.1 | 402.2 |
| 4.4 | 187.1 | 0.0 | 119.4 | 19.4 | 24.7 | 16.5 | 411.6 |
| 4.5 | 191.3 | 0.0 | 122.1 | 19.8 | 25.3 | 16.8 | 420.9 |
| 4.6 | 195.6 | 0.0 | 124.8 | 20.2 | 25.8 | 17.2 | 430.3 |
| 4.7 | 199.8 | 0.0 | 127.5 | 20.7 | 26.4 | 17.6 | 439.7 |
| 4.8 | 204.1 | 0.0 | 130.2 | 21.1 | 26.9 | 18.0 | 449.0 |
| 4.9 | 208.3 | 0.0 | 132.9 | 21.6 | 27.5 | 18.3 | 458.4 |
| 5.0 | 212.6 | 0.0 | 135.6 | 22.0 | 28.1 | 18.7 | 467.7 |

NITROGEN PRODUCTS

| BIO DUNDER® | | | | | | | |
|-------------|------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M³/HA | 0.50 | 0.00 | 2.60 | 0.30 | 0.60 | 0.40 | 10.00 |
| 1.0 | 5.0 | 0.0 | 26.0 | 3.0 | 6.0 | 4.0 | 100.0 |
| 2.0 | 10.0 | 0.0 | 52.0 | 6.0 | 12.0 | 8.0 | 200.0 |
| 2.5 | 12.5 | 0.0 | 65.0 | 7.5 | 15.0 | 10.0 | 250.0 |
| 2.6 | 13.0 | 0.0 | 67.6 | 7.8 | 15.6 | 10.4 | 260.0 |
| 2.7 | 13.5 | 0.0 | 70.2 | 8.1 | 16.2 | 10.8 | 270.0 |
| 2.8 | 14.0 | 0.0 | 72.8 | 8.4 | 16.8 | 11.2 | 280.0 |
| 2.9 | 14.5 | 0.0 | 75.4 | 8.7 | 17.4 | 11.6 | 290.0 |
| 3.0 | 15.0 | 0.0 | 78.0 | 9.0 | 18.0 | 12.0 | 300.0 |
| 3.1 | 15.5 | 0.0 | 80.6 | 9.3 | 18.6 | 12.4 | 310.0 |
| 3.2 | 16.0 | 0.0 | 83.2 | 9.6 | 19.2 | 12.8 | 320.0 |
| 3.3 | 16.5 | 0.0 | 85.8 | 9.9 | 19.8 | 13.2 | 330.0 |
| 3.4 | 17.0 | 0.0 | 88.4 | 10.2 | 20.4 | 13.6 | 340.0 |
| 3.5 | 17.5 | 0.0 | 91.0 | 10.5 | 21.0 | 14.0 | 350.0 |
| 3.6 | 18.0 | 0.0 | 93.6 | 10.8 | 21.6 | 14.4 | 360.0 |
| 3.7 | 18.5 | 0.0 | 96.2 | 11.1 | 22.2 | 14.8 | 370.0 |
| 3.8 | 19.0 | 0.0 | 98.8 | 11.4 | 22.8 | 15.2 | 380.0 |
| 3.9 | 19.5 | 0.0 | 101.4 | 11.7 | 23.4 | 15.6 | 390.0 |
| 4.0 | 20.0 | 0.0 | 104.0 | 12.0 | 24.0 | 16.0 | 400.0 |
| 4.1 | 20.5 | 0.0 | 106.6 | 12.3 | 24.6 | 16.4 | 410.0 |
| 4.2 | 21.0 | 0.0 | 109.2 | 12.6 | 25.2 | 16.8 | 420.0 |
| 4.3 | 21.5 | 0.0 | 111.8 | 12.9 | 25.8 | 17.2 | 430.0 |
| 4.4 | 22.0 | 0.0 | 114.4 | 13.2 | 26.4 | 17.6 | 440.0 |
| 4.5 | 22.5 | 0.0 | 117.0 | 13.5 | 27.0 | 18.0 | 450.0 |
| 4.6 | 23.0 | 0.0 | 119.6 | 13.8 | 27.6 | 18.4 | 460.0 |
| 4.7 | 23.5 | 0.0 | 122.2 | 14.1 | 28.2 | 18.8 | 470.0 |
| 4.8 | 24.0 | 0.0 | 124.8 | 14.4 | 28.8 | 19.2 | 480.0 |
| 4.9 | 24.5 | 0.0 | 127.4 | 14.7 | 29.4 | 19.6 | 490.0 |
| 5.0 | 25.0 | 0.0 | 130.0 | 15.0 | 30.0 | 20.0 | 500.0 |

| MKY 170 | | | | | | | |
|---------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M³/HA | 3.76 | 0.00 | 2.74 | 0.42 | 0.57 | 0.38 | 9.44 |
| 1.0 | 37.6 | 0.0 | 27.4 | 4.2 | 5.7 | 3.8 | 94.4 |
| 2.0 | 75.2 | 0.0 | 54.7 | 8.4 | 11.3 | 7.6 | 188.8 |
| 2.5 | 94.0 | 0.0 | 68.4 | 10.5 | 14.2 | 9.4 | 236.0 |
| 2.6 | 97.7 | 0.0 | 71.2 | 11.0 | 14.7 | 9.8 | 245.4 |
| 2.7 | 101.5 | 0.0 | 73.9 | 11.4 | 15.3 | 10.2 | 254.9 |
| 2.8 | 105.2 | 0.0 | 76.6 | 11.8 | 15.9 | 10.6 | 264.3 |
| 2.9 | 109.0 | 0.0 | 79.4 | 12.2 | 16.4 | 10.9 | 273.7 |
| 3.0 | 112.7 | 0.0 | 82.1 | 12.6 | 17.0 | 11.3 | 283.2 |
| 3.1 | 116.5 | 0.0 | 84.9 | 13.1 | 17.6 | 11.7 | 292.6 |
| 3.2 | 120.3 | 0.0 | 87.6 | 13.5 | 18.1 | 12.1 | 302.1 |
| 3.3 | 124.0 | 0.0 | 90.3 | 13.9 | 18.7 | 12.5 | 311.5 |
| 3.4 | 127.8 | 0.0 | 93.1 | 14.3 | 19.3 | 12.8 | 320.9 |
| 3.5 | 131.5 | 0.0 | 95.8 | 14.8 | 19.8 | 13.2 | 330.4 |
| 3.6 | 135.3 | 0.0 | 98.5 | 15.2 | 20.4 | 13.6 | 339.8 |
| 3.7 | 139.1 | 0.0 | 101.3 | 15.6 | 21.0 | 14.0 | 349.3 |
| 3.8 | 142.8 | 0.0 | 104.0 | 16.0 | 21.5 | 14.3 | 358.7 |
| 3.9 | 146.6 | 0.0 | 106.8 | 16.4 | 22.1 | 14.7 | 368.1 |
| 4.0 | 150.3 | 0.0 | 109.5 | 16.9 | 22.7 | 15.1 | 377.6 |
| 4.1 | 154.1 | 0.0 | 112.2 | 17.3 | 23.2 | 15.5 | 387.0 |
| 4.2 | 157.8 | 0.0 | 115.0 | 17.7 | 23.8 | 15.9 | 396.5 |
| 4.3 | 161.6 | 0.0 | 117.7 | 18.1 | 24.4 | 16.2 | 405.9 |
| 4.4 | 165.4 | 0.0 | 120.4 | 18.5 | 24.9 | 16.6 | 415.3 |
| 4.5 | 169.1 | 0.0 | 123.2 | 19.0 | 25.5 | 17.0 | 424.8 |
| 4.6 | 172.9 | 0.0 | 125.9 | 19.4 | 26.1 | 17.4 | 434.2 |
| 4.7 | 176.6 | 0.0 | 128.7 | 19.8 | 26.6 | 17.7 | 443.6 |
| 4.8 | 180.4 | 0.0 | 131.4 | 20.2 | 27.2 | 18.1 | 453.1 |
| 4.9 | 184.2 | 0.0 | 134.1 | 20.7 | 27.8 | 18.5 | 462.5 |
| 5.0 | 187.9 | 0.0 | 136.9 | 21.1 | 28.3 | 18.9 | 472.0 |

| MKY 160 | | | | | | | |
|---------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M³/HA | 3.55 | 0.00 | 2.75 | 0.41 | 0.57 | 0.38 | 9.48 |
| 1.0 | 35.5 | 0.0 | 27.5 | 4.1 | 5.7 | 3.8 | 94.8 |
| 2.0 | 70.9 | 0.0 | 55.0 | 8.3 | 11.4 | 7.6 | 189.5 |
| 2.5 | 88.7 | 0.0 | 68.7 | 10.3 | 14.2 | 9.5 | 236.9 |
| 2.6 | 92.2 | 0.0 | 71.4 | 10.8 | 14.8 | 9.9 | 246.4 |
| 2.7 | 95.8 | 0.0 | 74.2 | 11.2 | 15.4 | 10.2 | 255.8 |
| 2.8 | 99.3 | 0.0 | 76.9 | 11.6 | 15.9 | 10.6 | 265.3 |
| 2.9 | 102.9 | 0.0 | 79.7 | 12.0 | 16.5 | 11.0 | 274.8 |
| 3.0 | 106.4 | 0.0 | 82.4 | 12.4 | 17.1 | 11.4 | 284.3 |
| 3.1 | 109.9 | 0.0 | 85.2 | 12.8 | 17.6 | 11.7 | 293.7 |
| 3.2 | 113.5 | 0.0 | 87.9 | 13.2 | 18.2 | 12.1 | 303.2 |
| 3.3 | 117.0 | 0.0 | 90.7 | 13.6 | 18.8 | 12.5 | 312.7 |
| 3.4 | 120.6 | 0.0 | 93.4 | 14.1 | 19.3 | 12.9 | 322.2 |
| 3.5 | 124.1 | 0.0 | 96.2 | 14.5 | 19.9 | 13.3 | 331.7 |
| 3.6 | 127.7 | 0.0 | 98.9 | 14.9 | 20.5 | 13.6 | 341.1 |
| 3.7 | 131.2 | 0.0 | 101.7 | 15.3 | 21.0 | 14.0 | 350.6 |
| 3.8 | 134.8 | 0.0 | 104.4 | 15.7 | 21.6 | 14.4 | 360.1 |
| 3.9 | 138.3 | 0.0 | 107.2 | 16.1 | 22.2 | 14.8 | 369.6 |
| 4.0 | 141.9 | 0.0 | 109.9 | 16.5 | 22.7 | 15.2 | 379.0 |
| 4.1 | 145.4 | 0.0 | 112.7 | 17.0 | 23.3 | 15.5 | 388.5 |
| 4.2 | 149.0 | 0.0 | 115.4 | 17.4 | 23.9 | 15.9 | 398.0 |
| 4.3 | 152.5 | 0.0 | 118.2 | 17.8 | 24.4 | 16.3 | 407.5 |
| 4.4 | 156.1 | 0.0 | 120.9 | 18.2 | 25.0 | 16.7 | 416.9 |
| 4.5 | 159.6 | 0.0 | 123.7 | 18.6 | 25.6 | 17.1 | 426.4 |
| 4.6 | 163.1 | 0.0 | 126.4 | 19.0 | 26.2 | 17.4 | 435.9 |
| 4.7 | 166.7 | 0.0 | 129.2 | 19.4 | 26.7 | 17.8 | 445.4 |
| 4.8 | 170.2 | 0.0 | 131.9 | 19.9 | 27.3 | 18.2 | 454.8 |
| 4.9 | 173.8 | 0.0 | 134.7 | 20.3 | 27.9 | 18.6 | 464.3 |
| 5.0 | 177.3 | 0.0 | 137.4 | 20.7 | 28.4 | 19.0 | 473.8 |

| MKY 150 | | | | | | | |
|---------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M³/HA | 3.32 | 0.00 | 2.76 | 0.41 | 0.57 | 0.38 | 9.51 |
| 1.0 | 33.2 | 0.0 | 27.6 | 4.1 | 5.7 | 3.8 | 95.1 |
| 2.0 | 66.4 | 0.0 | 55.2 | 8.1 | 11.4 | 7.6 | 190.3 |
| 2.5 | 83.0 | 0.0 | 69.0 | 10.1 | 14.3 | 9.5 | 237.9 |
| 2.6 | 86.3 | 0.0 | 71.7 | 10.5 | 14.8 | 9.9 | 247.4 |
| 2.7 | 89.7 | 0.0 | 74.5 | 10.9 | 15.4 | 10.3 | 256.9 |
| 2.8 | 93.0 | 0.0 | 77.3 | 11.3 | 16.0 | 10.7 | 266.4 |
| 2.9 | 96.3 | 0.0 | 80.0 | 11.7 | 16.6 | 11.0 | 275.9 |
| 3.0 | 99.6 | 0.0 | 82.8 | 12.2 | 17.1 | 11.4 | 285.4 |
| 3.1 | 103.0 | 0.0 | 85.5 | 12.6 | 17.7 | 11.8 | 295.0 |
| 3.2 | 106.3 | 0.0 | 88.3 | 13.0 | 18.3 | 12.2 | 304.5 |
| 3.3 | 109.6 | 0.0 | 91.1 | 13.4 | 18.8 | 12.6 | 314.0 |
| 3.4 | 112.9 | 0.0 | 93.8 | 13.8 | 19.4 | 12.9 | 323.5 |
| 3.5 | 116.2 | 0.0 | 96.6 | 14.2 | 20.0 | 13.3 | 333.0 |
| 3.6 | 119.6 | 0.0 | 99.3 | 14.6 | 20.6 | 13.7 | 342.5 |
| 3.7 | 122.9 | 0.0 | 102.1 | 15.0 | 21.1 | 14.1 | 352.0 |
| 3.8 | 126.2 | 0.0 | 104.9 | 15.4 | 21.7 | 14.5 | 361.6 |
| 3.9 | 129.5 | 0.0 | 107.6 | 15.8 | 22.3 | 14.8 | 371.1 |
| 4.0 | 132.8 | 0.0 | 110.4 | 16.2 | 22.8 | 15.2 | 380.6 |
| 4.1 | 136.2 | 0.0 | 113.1 | 16.6 | 23.4 | 15.6 | 390.1 |
| 4.2 | 139.5 | 0.0 | 115.9 | 17.0 | 24.0 | 16.0 | 399.6 |
| 4.3 | 142.8 | 0.0 | 118.6 | 17.4 | 24.5 | 16.4 | 409.1 |
| 4.4 | 146.1 | 0.0 | 121.4 | 17.8 | 25.1 | 16.7 | 418.6 |
| 4.5 | 149.4 | 0.0 | 124.2 | 18.2 | 25.7 | 17.1 | 428.2 |
| 4.6 | 152.8 | 0.0 | 126.9 | 18.6 | 26.3 | 17.5 | 437.7 |
| 4.7 | 156.1 | 0.0 | 129.7 | 19.0 | 26.8 | 17.9 | 447.2 |
| 4.8 | 159.4 | 0.0 | 132.4 | 19.4 | 27.4 | 18.3 | 456.7 |
| 4.9 | 162.7 | 0.0 | 135.2 | 19.9 | 28.0 | 18.6 | 466.2 |
| 5.0 | 166.1 | 0.0 | 138.0 | 20.3 | 28.5 | 19.0 | 475.7 |

NITROGEN PRODUCTS

| LIQUID 50/50 | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 2.90 | 0.00 | 2.78 | 0.39 | 0.58 | 0.38 | 9.59 |
| 1.0 | 29.0 | 0.0 | 27.8 | 3.9 | 5.8 | 3.8 | 95.9 |
| 2.0 | 58.0 | 0.0 | 55.6 | 7.8 | 11.5 | 7.7 | 191.7 |
| 2.5 | 72.4 | 0.0 | 69.5 | 9.7 | 14.4 | 9.6 | 239.7 |
| 2.6 | 75.3 | 0.0 | 72.3 | 10.1 | 15.0 | 10.0 | 249.3 |
| 2.7 | 78.2 | 0.0 | 75.1 | 10.5 | 15.5 | 10.4 | 258.9 |
| 2.8 | 81.1 | 0.0 | 77.8 | 10.9 | 16.1 | 10.7 | 268.4 |
| 2.9 | 84.0 | 0.0 | 80.6 | 11.3 | 16.7 | 11.1 | 278.0 |
| 3.0 | 86.9 | 0.0 | 83.4 | 11.7 | 17.3 | 11.5 | 287.6 |
| 3.1 | 89.8 | 0.0 | 86.2 | 12.1 | 17.8 | 11.9 | 297.2 |
| 3.2 | 92.7 | 0.0 | 89.0 | 12.5 | 18.4 | 12.3 | 306.8 |
| 3.3 | 95.6 | 0.0 | 91.8 | 12.8 | 19.0 | 12.7 | 316.4 |
| 3.4 | 98.5 | 0.0 | 94.5 | 13.2 | 19.6 | 13.0 | 326.0 |
| 3.5 | 101.4 | 0.0 | 97.3 | 13.6 | 20.1 | 13.4 | 335.6 |
| 3.6 | 104.3 | 0.0 | 100.1 | 14.0 | 20.7 | 13.8 | 345.1 |
| 3.7 | 107.2 | 0.0 | 102.9 | 14.4 | 21.3 | 14.2 | 354.7 |
| 3.8 | 110.1 | 0.0 | 105.7 | 14.8 | 21.9 | 14.6 | 364.3 |
| 3.9 | 113.0 | 0.0 | 108.4 | 15.2 | 22.4 | 15.0 | 373.9 |
| 4.0 | 115.9 | 0.0 | 111.2 | 15.6 | 23.0 | 15.3 | 383.5 |
| 4.1 | 118.8 | 0.0 | 114.0 | 16.0 | 23.6 | 15.7 | 393.1 |
| 4.2 | 121.7 | 0.0 | 116.8 | 16.4 | 24.2 | 16.1 | 402.7 |
| 4.3 | 124.6 | 0.0 | 119.6 | 16.7 | 24.7 | 16.5 | 412.3 |
| 4.4 | 127.5 | 0.0 | 122.3 | 17.1 | 25.3 | 16.9 | 421.8 |
| 4.5 | 130.4 | 0.0 | 125.1 | 17.5 | 25.9 | 17.3 | 431.4 |
| 4.6 | 133.3 | 0.0 | 127.9 | 17.9 | 26.5 | 17.6 | 441.0 |
| 4.7 | 136.2 | 0.0 | 130.7 | 18.3 | 27.0 | 18.0 | 450.6 |
| 4.8 | 139.1 | 0.0 | 133.5 | 18.7 | 27.6 | 18.4 | 460.2 |
| 4.9 | 142.0 | 0.0 | 136.2 | 19.1 | 28.2 | 18.8 | 469.8 |
| 5.0 | 144.9 | 0.0 | 139.0 | 19.5 | 28.8 | 19.2 | 479.4 |

| MKY 110 | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 2.49 | 0.00 | 2.80 | 0.37 | 0.58 | 0.39 | 9.66 |
| 1.0 | 24.9 | 0.0 | 28.0 | 3.7 | 5.8 | 3.9 | 96.6 |
| 2.0 | 49.8 | 0.0 | 56.0 | 7.5 | 11.6 | 7.7 | 193.2 |
| 2.5 | 62.2 | 0.0 | 70.0 | 9.4 | 14.5 | 9.7 | 241.4 |
| 2.6 | 64.7 | 0.0 | 72.8 | 9.7 | 15.1 | 10.0 | 251.1 |
| 2.7 | 67.2 | 0.0 | 75.6 | 10.1 | 15.6 | 10.4 | 260.8 |
| 2.8 | 69.7 | 0.0 | 78.4 | 10.5 | 16.2 | 10.8 | 270.4 |
| 2.9 | 72.2 | 0.0 | 81.2 | 10.8 | 16.8 | 11.2 | 280.1 |
| 3.0 | 74.7 | 0.0 | 84.0 | 11.2 | 17.4 | 11.6 | 289.7 |
| 3.1 | 77.2 | 0.0 | 86.8 | 11.6 | 18.0 | 12.0 | 299.4 |
| 3.2 | 79.6 | 0.0 | 89.6 | 12.0 | 18.5 | 12.4 | 309.0 |
| 3.3 | 82.1 | 0.0 | 92.4 | 12.3 | 19.1 | 12.7 | 318.7 |
| 3.4 | 84.6 | 0.0 | 95.2 | 12.7 | 19.7 | 13.1 | 328.4 |
| 3.5 | 87.1 | 0.0 | 98.0 | 13.1 | 20.3 | 13.5 | 338.0 |
| 3.6 | 89.6 | 0.0 | 100.8 | 13.5 | 20.9 | 13.9 | 347.7 |
| 3.7 | 92.1 | 0.0 | 103.6 | 13.8 | 21.4 | 14.3 | 357.3 |
| 3.8 | 94.6 | 0.0 | 106.4 | 14.2 | 22.0 | 14.7 | 367.0 |
| 3.9 | 97.1 | 0.0 | 109.2 | 14.6 | 22.6 | 15.1 | 376.7 |
| 4.0 | 99.6 | 0.0 | 112.0 | 15.0 | 23.2 | 15.5 | 386.3 |
| 4.1 | 102.0 | 0.0 | 114.8 | 15.3 | 23.8 | 15.8 | 396.0 |
| 4.2 | 104.5 | 0.0 | 117.6 | 15.7 | 24.3 | 16.2 | 405.6 |
| 4.3 | 107.0 | 0.0 | 120.4 | 16.1 | 24.9 | 16.6 | 415.3 |
| 4.4 | 109.5 | 0.0 | 123.2 | 16.5 | 25.5 | 17.0 | 424.9 |
| 4.5 | 112.0 | 0.0 | 126.0 | 16.8 | 26.1 | 17.4 | 434.6 |
| 4.6 | 114.5 | 0.0 | 128.8 | 17.2 | 26.7 | 17.8 | 444.3 |
| 4.7 | 117.0 | 0.0 | 131.6 | 17.6 | 27.2 | 18.2 | 453.9 |
| 4.8 | 119.5 | 0.0 | 134.4 | 18.0 | 27.8 | 18.5 | 463.6 |
| 4.9 | 122.0 | 0.0 | 137.2 | 18.3 | 28.4 | 18.9 | 473.2 |
| 5.0 | 124.4 | 0.0 | 140.0 | 18.7 | 29.0 | 19.3 | 482.9 |

| MKY 100 | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 2.14 | 0.00 | 2.82 | 0.36 | 0.58 | 0.39 | 9.72 |
| 1.0 | 21.4 | 0.0 | 28.2 | 3.6 | 5.8 | 3.9 | 97.2 |
| 2.0 | 42.7 | 0.0 | 56.4 | 7.2 | 11.7 | 7.8 | 194.4 |
| 2.5 | 53.4 | 0.0 | 70.5 | 9.0 | 14.6 | 9.7 | 243.0 |
| 2.6 | 55.5 | 0.0 | 73.3 | 9.4 | 15.2 | 10.1 | 252.7 |
| 2.7 | 57.7 | 0.0 | 76.1 | 9.7 | 15.7 | 10.5 | 262.4 |
| 2.8 | 59.8 | 0.0 | 78.9 | 10.1 | 16.3 | 10.9 | 272.1 |
| 2.9 | 62.0 | 0.0 | 81.7 | 10.5 | 16.9 | 11.3 | 281.8 |
| 3.0 | 64.1 | 0.0 | 84.6 | 10.8 | 17.5 | 11.7 | 291.6 |
| 3.1 | 66.2 | 0.0 | 87.4 | 11.2 | 18.1 | 12.1 | 301.3 |
| 3.2 | 68.4 | 0.0 | 90.2 | 11.6 | 18.7 | 12.4 | 311.0 |
| 3.3 | 70.5 | 0.0 | 93.0 | 11.9 | 19.2 | 12.8 | 320.7 |
| 3.4 | 72.6 | 0.0 | 95.8 | 12.3 | 19.8 | 13.2 | 330.4 |
| 3.5 | 74.8 | 0.0 | 98.6 | 12.6 | 20.4 | 13.6 | 340.1 |
| 3.6 | 76.9 | 0.0 | 101.5 | 13.0 | 21.0 | 14.0 | 349.9 |
| 3.7 | 79.0 | 0.0 | 104.3 | 13.4 | 21.6 | 14.4 | 359.6 |
| 3.8 | 81.2 | 0.0 | 107.1 | 13.7 | 22.2 | 14.8 | 369.3 |
| 3.9 | 83.3 | 0.0 | 109.9 | 14.1 | 22.7 | 15.2 | 379.0 |
| 4.0 | 85.4 | 0.0 | 112.7 | 14.4 | 23.3 | 15.5 | 388.7 |
| 4.1 | 87.6 | 0.0 | 115.6 | 14.8 | 23.9 | 15.9 | 398.5 |
| 4.2 | 89.7 | 0.0 | 118.4 | 15.2 | 24.5 | 16.3 | 408.2 |
| 4.3 | 91.9 | 0.0 | 121.2 | 15.5 | 25.1 | 16.7 | 417.9 |
| 4.4 | 94.0 | 0.0 | 124.0 | 15.9 | 25.7 | 17.1 | 427.6 |
| 4.5 | 96.1 | 0.0 | 126.8 | 16.2 | 26.2 | 17.5 | 437.3 |
| 4.6 | 98.3 | 0.0 | 129.6 | 16.6 | 26.8 | 17.9 | 447.0 |
| 4.7 | 100.4 | 0.0 | 132.5 | 17.0 | 27.4 | 18.3 | 456.8 |
| 4.8 | 102.5 | 0.0 | 135.3 | 17.3 | 28.0 | 18.7 | 466.5 |
| 4.9 | 104.7 | 0.0 | 138.1 | 17.7 | 28.6 | 19.0 | 476.2 |
| 5.0 | 106.8 | 0.0 | 140.9 | 18.0 | 29.2 | 19.4 | 485.9 |

| MKY 80 | | | | | | | |
|--------------------|------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 1.80 | 0.00 | 2.84 | 0.35 | 0.59 | 0.39 | 9.78 |
| 1.0 | 18.0 | 0.0 | 28.4 | 3.5 | 5.9 | 3.9 | 97.8 |
| 2.0 | 36.0 | 0.0 | 56.7 | 7.0 | 11.7 | 7.8 | 195.5 |
| 2.5 | 44.9 | 0.0 | 70.9 | 8.7 | 14.7 | 9.8 | 244.4 |
| 2.6 | 46.7 | 0.0 | 73.7 | 9.1 | 15.3 | 10.2 | 254.2 |
| 2.7 | 48.5 | 0.0 | 76.6 | 9.4 | 15.8 | 10.6 | 264.0 |
| 2.8 | 50.3 | 0.0 | 79.4 | 9.8 | 16.4 | 10.9 | 273.7 |
| 2.9 | 52.1 | 0.0 | 82.2 | 10.1 | 17.0 | 11.3 | 283.5 |
| 3.0 | 53.9 | 0.0 | 85.1 | 10.5 | 17.6 | 11.7 | 293.3 |
| 3.1 | 55.7 | 0.0 | 87.9 | 10.8 | 18.2 | 12.1 | 303.1 |
| 3.2 | 57.5 | 0.0 | 90.7 | 11.1 | 18.8 | 12.5 | 312.9 |
| 3.3 | 59.3 | 0.0 | 93.6 | 11.5 | 19.4 | 12.9 | 322.6 |
| 3.4 | 61.1 | 0.0 | 96.4 | 11.8 | 19.9 | 13.3 | 332.4 |
| 3.5 | 62.9 | 0.0 | 99.2 | 12.2 | 20.5 | 13.7 | 342.2 |
| 3.6 | 64.7 | 0.0 | 102.1 | 12.5 | 21.1 | 14.1 | 352.0 |
| 3.7 | 66.5 | 0.0 | 104.9 | 12.9 | 21.7 | 14.5 | 361.7 |
| 3.8 | 68.3 | 0.0 | 107.7 | 13.2 | 22.3 | 14.9 | 371.5 |
| 3.9 | 70.1 | 0.0 | 110.6 | 13.6 | 22.9 | 15.3 | 381.3 |
| 4.0 | 71.9 | 0.0 | 113.4 | 13.9 | 23.5 | 15.6 | 391.1 |
| 4.1 | 73.7 | 0.0 | 116.2 | 14.3 | 24.1 | 16.0 | 400.8 |
| 4.2 | 75.5 | 0.0 | 119.1 | 14.6 | 24.6 | 16.4 | 410.6 |
| 4.3 | 77.3 | 0.0 | 121.9 | 15.0 | 25.2 | 16.8 | 420.4 |
| 4.4 | 79.1 | 0.0 | 124.8 | 15.3 | 25.8 | 17.2 | 430.2 |
| 4.5 | 80.9 | 0.0 | 127.6 | 15.7 | 26.4 | 17.6 | 440.0 |
| 4.6 | 82.7 | 0.0 | 130.4 | 16.0 | 27.0 | 18.0 | 449.7 |
| 4.7 | 84.5 | 0.0 | 133.3 | 16.4 | 27.6 | 18.4 | 459.5 |
| 4.8 | 86.3 | 0.0 | 136.1 | 16.7 | 28.2 | 18.8 | 469.3 |
| 4.9 | 88.1 | 0.0 | 138.9 | 17.1 | 28.7 | 19.2 | 479.1 |
| 5.0 | 89.9 | 0.0 | 141.8 | 17.4 | 29.3 | 19.6 | 488.8 |

NITROGEN PRODUCTS

| MKY 70 | | | | | | | |
|--------------------|------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 1.60 | 0.00 | 2.85 | 0.34 | 0.59 | 0.39 | 9.81 |
| 1.0 | 16.0 | 0.0 | 28.5 | 3.4 | 5.9 | 3.9 | 98.1 |
| 2.0 | 32.0 | 0.0 | 56.9 | 6.8 | 11.8 | 7.8 | 196.2 |
| 2.5 | 40.0 | 0.0 | 71.1 | 8.5 | 14.7 | 9.8 | 245.3 |
| 2.6 | 41.6 | 0.0 | 74.0 | 8.9 | 15.3 | 10.2 | 255.1 |
| 2.7 | 43.2 | 0.0 | 76.8 | 9.2 | 15.9 | 10.6 | 264.9 |
| 2.8 | 44.8 | 0.0 | 79.7 | 9.5 | 16.5 | 11.0 | 274.7 |
| 2.9 | 46.4 | 0.0 | 82.5 | 9.9 | 17.1 | 11.4 | 284.5 |
| 3.0 | 48.0 | 0.0 | 85.4 | 10.2 | 17.7 | 11.8 | 294.3 |
| 3.1 | 49.6 | 0.0 | 88.2 | 10.6 | 18.2 | 12.2 | 304.1 |
| 3.2 | 51.2 | 0.0 | 91.0 | 10.9 | 18.8 | 12.6 | 313.9 |
| 3.3 | 52.8 | 0.0 | 93.9 | 11.3 | 19.4 | 13.0 | 323.8 |
| 3.4 | 54.4 | 0.0 | 96.7 | 11.6 | 20.0 | 13.3 | 333.6 |
| 3.5 | 56.0 | 0.0 | 99.6 | 11.9 | 20.6 | 13.7 | 343.4 |
| 3.6 | 57.6 | 0.0 | 102.4 | 12.3 | 21.2 | 14.1 | 353.2 |
| 3.7 | 59.2 | 0.0 | 105.3 | 12.6 | 21.8 | 14.5 | 363.0 |
| 3.8 | 60.8 | 0.0 | 108.1 | 13.0 | 22.4 | 14.9 | 372.8 |
| 3.9 | 62.4 | 0.0 | 111.0 | 13.3 | 23.0 | 15.3 | 382.6 |
| 4.0 | 64.0 | 0.0 | 113.8 | 13.6 | 23.5 | 15.7 | 392.4 |
| 4.1 | 65.6 | 0.0 | 116.6 | 14.0 | 24.1 | 16.1 | 402.2 |
| 4.2 | 67.2 | 0.0 | 119.5 | 14.3 | 24.7 | 16.5 | 412.0 |
| 4.3 | 68.8 | 0.0 | 122.3 | 14.7 | 25.3 | 16.9 | 421.9 |
| 4.4 | 70.4 | 0.0 | 125.2 | 15.0 | 25.9 | 17.3 | 431.7 |
| 4.5 | 72.0 | 0.0 | 128.0 | 15.3 | 26.5 | 17.7 | 441.5 |
| 4.6 | 73.6 | 0.0 | 130.9 | 15.7 | 27.1 | 18.1 | 451.3 |
| 4.7 | 75.2 | 0.0 | 133.7 | 16.0 | 27.7 | 18.4 | 461.1 |
| 4.8 | 76.8 | 0.0 | 136.6 | 16.4 | 28.3 | 18.8 | 470.9 |
| 4.9 | 78.4 | 0.0 | 139.4 | 16.7 | 28.8 | 19.2 | 480.7 |
| 5.0 | 80.0 | 0.0 | 142.3 | 17.1 | 29.4 | 19.6 | 490.5 |

| MKY 60 | | | | | | | |
|--------------------|------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 0.99 | 0.00 | 2.88 | 0.32 | 0.59 | 0.40 | 9.92 |
| 1.0 | 9.9 | 0.0 | 28.8 | 3.2 | 5.9 | 4.0 | 99.2 |
| 2.0 | 19.9 | 0.0 | 57.5 | 6.4 | 11.9 | 7.9 | 198.3 |
| 2.5 | 24.8 | 0.0 | 71.9 | 8.0 | 14.9 | 9.9 | 247.9 |
| 2.6 | 25.8 | 0.0 | 74.8 | 8.3 | 15.5 | 10.3 | 257.8 |
| 2.7 | 26.8 | 0.0 | 77.6 | 8.6 | 16.1 | 10.7 | 267.7 |
| 2.8 | 27.8 | 0.0 | 80.5 | 8.9 | 16.7 | 11.1 | 277.6 |
| 2.9 | 28.8 | 0.0 | 83.4 | 9.2 | 17.3 | 11.5 | 287.5 |
| 3.0 | 29.8 | 0.0 | 86.3 | 9.6 | 17.8 | 11.9 | 297.5 |
| 3.1 | 30.8 | 0.0 | 89.1 | 9.9 | 18.4 | 12.3 | 307.4 |
| 3.2 | 31.8 | 0.0 | 92.0 | 10.2 | 19.0 | 12.7 | 317.3 |
| 3.3 | 32.8 | 0.0 | 94.9 | 10.5 | 19.6 | 13.1 | 327.2 |
| 3.4 | 33.8 | 0.0 | 97.8 | 10.8 | 20.2 | 13.5 | 337.1 |
| 3.5 | 34.8 | 0.0 | 100.6 | 11.1 | 20.8 | 13.9 | 347.0 |
| 3.6 | 35.8 | 0.0 | 103.5 | 11.5 | 21.4 | 14.3 | 356.9 |
| 3.7 | 36.8 | 0.0 | 106.4 | 11.8 | 22.0 | 14.7 | 366.9 |
| 3.8 | 37.8 | 0.0 | 109.3 | 12.1 | 22.6 | 15.1 | 376.8 |
| 3.9 | 38.8 | 0.0 | 112.1 | 12.4 | 23.2 | 15.5 | 386.7 |
| 4.0 | 39.7 | 0.0 | 115.0 | 12.7 | 23.8 | 15.9 | 396.6 |
| 4.1 | 40.7 | 0.0 | 117.9 | 13.1 | 24.4 | 16.3 | 406.5 |
| 4.2 | 41.7 | 0.0 | 120.8 | 13.4 | 25.0 | 16.7 | 416.4 |
| 4.3 | 42.7 | 0.0 | 123.6 | 13.7 | 25.6 | 17.1 | 426.3 |
| 4.4 | 43.7 | 0.0 | 126.5 | 14.0 | 26.2 | 17.5 | 436.3 |
| 4.5 | 44.7 | 0.0 | 129.4 | 14.3 | 26.8 | 17.8 | 446.2 |
| 4.6 | 45.7 | 0.0 | 132.3 | 14.6 | 27.4 | 18.2 | 456.1 |
| 4.7 | 46.7 | 0.0 | 135.1 | 15.0 | 28.0 | 18.6 | 466.0 |
| 4.8 | 47.7 | 0.0 | 138.0 | 15.3 | 28.6 | 19.0 | 475.9 |
| 4.9 | 48.7 | 0.0 | 140.9 | 15.6 | 29.2 | 19.4 | 485.8 |
| 5.0 | 49.7 | 0.0 | 143.8 | 15.9 | 29.7 | 19.8 | 495.8 |

| VILLIS MUNG BEAN MIX | | | | | | | |
|----------------------|------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 0.85 | 0.00 | 2.88 | 0.31 | 0.60 | 0.40 | 9.94 |
| 1.0 | 8.5 | 0.0 | 28.8 | 3.1 | 6.0 | 4.0 | 99.4 |
| 2.0 | 17.1 | 0.0 | 57.6 | 6.3 | 11.9 | 8.0 | 198.8 |
| 2.5 | 21.3 | 0.0 | 72.1 | 7.8 | 14.9 | 9.9 | 248.5 |
| 2.6 | 22.2 | 0.0 | 74.9 | 8.1 | 15.5 | 10.3 | 258.4 |
| 2.7 | 23.0 | 0.0 | 77.8 | 8.5 | 16.1 | 10.7 | 268.4 |
| 2.8 | 23.9 | 0.0 | 80.7 | 8.8 | 16.7 | 11.1 | 278.3 |
| 2.9 | 24.7 | 0.0 | 83.6 | 9.1 | 17.3 | 11.5 | 288.2 |
| 3.0 | 25.6 | 0.0 | 86.5 | 9.4 | 17.9 | 11.9 | 298.2 |
| 3.1 | 26.4 | 0.0 | 89.4 | 9.7 | 18.5 | 12.3 | 308.1 |
| 3.2 | 27.3 | 0.0 | 92.2 | 10.0 | 19.1 | 12.7 | 318.1 |
| 3.3 | 28.1 | 0.0 | 95.1 | 10.3 | 19.7 | 13.1 | 328.0 |
| 3.4 | 29.0 | 0.0 | 98.0 | 10.6 | 20.3 | 13.5 | 337.9 |
| 3.5 | 29.8 | 0.0 | 100.9 | 11.0 | 20.9 | 13.9 | 347.9 |
| 3.6 | 30.7 | 0.0 | 103.8 | 11.3 | 21.5 | 14.3 | 357.8 |
| 3.7 | 31.5 | 0.0 | 106.6 | 11.6 | 22.1 | 14.7 | 367.8 |
| 3.8 | 32.4 | 0.0 | 109.5 | 11.9 | 22.7 | 15.1 | 377.7 |
| 3.9 | 33.3 | 0.0 | 112.4 | 12.2 | 23.3 | 15.5 | 387.6 |
| 4.0 | 34.1 | 0.0 | 115.3 | 12.5 | 23.9 | 15.9 | 397.6 |
| 4.1 | 35.0 | 0.0 | 118.2 | 12.8 | 24.5 | 16.3 | 407.5 |
| 4.2 | 35.8 | 0.0 | 121.1 | 13.2 | 25.0 | 16.7 | 417.5 |
| 4.3 | 36.7 | 0.0 | 123.9 | 13.5 | 25.6 | 17.1 | 427.4 |
| 4.4 | 37.5 | 0.0 | 126.8 | 13.8 | 26.2 | 17.5 | 437.3 |
| 4.5 | 38.4 | 0.0 | 129.7 | 14.1 | 26.8 | 17.9 | 447.3 |
| 4.6 | 39.2 | 0.0 | 132.6 | 14.4 | 27.4 | 18.3 | 457.2 |
| 4.7 | 40.1 | 0.0 | 135.5 | 14.7 | 28.0 | 18.7 | 467.1 |
| 4.8 | 40.9 | 0.0 | 138.4 | 15.0 | 28.6 | 19.1 | 477.1 |
| 4.9 | 41.8 | 0.0 | 141.2 | 15.3 | 29.2 | 19.5 | 487.0 |
| 5.0 | 42.6 | 0.0 | 144.1 | 15.7 | 29.8 | 19.9 | 497.0 |

| BIO DUNDER [®] OG | | | | | | | |
|----------------------------|------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 0.50 | 0.01 | 2.60 | 0.30 | 0.60 | 0.40 | 10.00 |
| 1.0 | 5.0 | 0.1 | 26.0 | 3.0 | 6.0 | 4.0 | 100.0 |
| 2.0 | 10.0 | 0.2 | 52.0 | 6.0 | 12.0 | 8.0 | 200.0 |
| 2.5 | 12.5 | 0.3 | 65.0 | 7.5 | 15.0 | 10.0 | 250.0 |
| 2.6 | 13.0 | 0.3 | 67.6 | 7.8 | 15.6 | 10.4 | 260.0 |
| 2.7 | 13.5 | 0.3 | 70.2 | 8.1 | 16.2 | 10.8 | 270.0 |
| 2.8 | 14.0 | 0.3 | 72.8 | 8.4 | 16.8 | 11.2 | 280.0 |
| 2.9 | 14.5 | 0.3 | 75.4 | 8.7 | 17.4 | 11.6 | 290.0 |
| 3.0 | 15.0 | 0.3 | 78.0 | 9.0 | 18.0 | 12.0 | 300.0 |
| 3.1 | 15.5 | 0.3 | 80.6 | 9.3 | 18.6 | 12.4 | 310.0 |
| 3.2 | 16.0 | 0.3 | 83.2 | 9.6 | 19.2 | 12.8 | 320.0 |
| 3.3 | 16.5 | 0.3 | 85.8 | 9.9 | 19.8 | 13.2 | 330.0 |
| 3.4 | 17.0 | 0.3 | 88.4 | 10.2 | 20.4 | 13.6 | 340.0 |
| 3.5 | 17.5 | 0.4 | 91.0 | 10.5 | 21.0 | 14.0 | 350.0 |
| 3.6 | 18.0 | 0.4 | 93.6 | 10.8 | 21.6 | 14.4 | 360.0 |
| 3.7 | 18.5 | 0.4 | 96.2 | 11.1 | 22.2 | 14.8 | 370.0 |
| 3.8 | 19.0 | 0.4 | 98.8 | 11.4 | 22.8 | 15.2 | 380.0 |
| 3.9 | 19.5 | 0.4 | 101.4 | 11.7 | 23.4 | 15.6 | 390.0 |
| 4.0 | 20.0 | 0.4 | 104.0 | 12.0 | 24.0 | 16.0 | 400.0 |
| 4.1 | 20.5 | 0.4 | 106.6 | 12.3 | 24.6 | 16.4 | 410.0 |
| 4.2 | 21.0 | 0.4 | 109.2 | 12.6 | 25.2 | 16.8 | 420.0 |
| 4.3 | 21.5 | 0.4 | 111.8 | 12.9 | 25.8 | 17.2 | 430.0 |
| 4.4 | 22.0 | 0.4 | 114.4 | 13.2 | 26.4 | 17.6 | 440.0 |
| 4.5 | 22.5 | 0.5 | 117.0 | 13.5 | 27.0 | 18.0 | 450.0 |
| 4.6 | 23.0 | 0.5 | 119.6 | 13.8 | 27.6 | 18.4 | 460.0 |
| 4.7 | 23.5 | 0.5 | 122.2 | 14.1 | 28.2 | 18.8 | 470.0 |
| 4.8 | 24.0 | 0.5 | 124.8 | 14.4 | 28.8 | 19.2 | 480.0 |
| 4.9 | 24.5 | 0.5 | 127.4 | 14.7 | 29.4 | 19.6 | 490.0 |
| 5.0 | 25.0 | 0.5 | 130.0 | 15.0 | 30.0 | 20.0 | 500.0 |

PHOSPHORUS PRODUCTS

| HI N + P | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 7.67 | 0.83 | 2.48 | 1.09 | 0.51 | 0.34 | 8.56 |
| 1.0 | 76.7 | 8.3 | 24.8 | 10.9 | 5.1 | 3.4 | 85.6 |
| 2.0 | 153.3 | 16.5 | 49.6 | 21.8 | 10.3 | 6.8 | 171.1 |
| 2.5 | 191.6 | 20.7 | 62.0 | 27.3 | 12.8 | 8.6 | 213.9 |
| 2.6 | 199.3 | 21.5 | 64.5 | 28.3 | 13.3 | 8.9 | 222.5 |
| 2.7 | 207.0 | 22.3 | 67.0 | 29.4 | 13.9 | 9.2 | 231.0 |
| 2.8 | 214.6 | 23.2 | 69.5 | 30.5 | 14.4 | 9.6 | 239.6 |
| 2.9 | 222.3 | 24.0 | 72.0 | 31.6 | 14.9 | 9.9 | 248.2 |
| 3.0 | 230.0 | 24.8 | 74.4 | 32.7 | 15.4 | 10.3 | 256.7 |
| 3.1 | 237.6 | 25.6 | 76.9 | 33.8 | 15.9 | 10.6 | 265.3 |
| 3.2 | 245.3 | 26.5 | 79.4 | 34.9 | 16.4 | 11.0 | 273.8 |
| 3.3 | 253.0 | 27.3 | 81.9 | 36.0 | 16.9 | 11.3 | 282.4 |
| 3.4 | 260.6 | 28.1 | 84.4 | 37.1 | 17.5 | 11.6 | 290.9 |
| 3.5 | 268.3 | 28.9 | 86.9 | 38.2 | 18.0 | 12.0 | 299.5 |
| 3.6 | 276.0 | 29.8 | 89.3 | 39.3 | 18.5 | 12.3 | 308.1 |
| 3.7 | 283.6 | 30.6 | 91.8 | 40.3 | 19.0 | 12.7 | 316.6 |
| 3.8 | 291.3 | 31.4 | 94.3 | 41.4 | 19.5 | 13.0 | 325.2 |
| 3.9 | 299.0 | 32.3 | 96.8 | 42.5 | 20.0 | 13.3 | 333.7 |
| 4.0 | 306.6 | 33.1 | 99.3 | 43.6 | 20.5 | 13.7 | 342.3 |
| 4.1 | 314.3 | 33.9 | 101.7 | 44.7 | 21.1 | 14.0 | 350.8 |
| 4.2 | 322.0 | 34.7 | 104.2 | 45.8 | 21.6 | 14.4 | 359.4 |
| 4.3 | 329.6 | 35.6 | 106.7 | 46.9 | 22.1 | 14.7 | 368.0 |
| 4.4 | 337.3 | 36.4 | 109.2 | 48.0 | 22.6 | 15.1 | 376.5 |
| 4.5 | 345.0 | 37.2 | 111.7 | 49.1 | 23.1 | 15.4 | 385.1 |
| 4.6 | 352.6 | 38.0 | 114.2 | 50.2 | 23.6 | 15.7 | 393.6 |
| 4.7 | 360.3 | 38.9 | 116.6 | 51.2 | 24.1 | 16.1 | 402.2 |
| 4.8 | 368.0 | 39.7 | 119.1 | 52.3 | 24.6 | 16.4 | 410.7 |
| 4.9 | 375.6 | 40.5 | 121.6 | 53.4 | 25.2 | 16.8 | 419.3 |
| 5.0 | 383.3 | 41.3 | 124.1 | 54.5 | 25.7 | 17.1 | 427.9 |

| LO N PLANTER | | | | | | | |
|--------------------|------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 1.11 | 0.71 | 2.82 | 0.76 | 0.58 | 0.39 | 9.72 |
| 1.0 | 11.1 | 7.1 | 28.2 | 7.6 | 5.8 | 3.9 | 97.2 |
| 2.0 | 22.3 | 14.2 | 56.3 | 15.1 | 11.7 | 7.8 | 194.3 |
| 2.5 | 27.9 | 17.7 | 70.4 | 18.9 | 14.6 | 9.7 | 242.9 |
| 2.6 | 29.0 | 18.4 | 73.3 | 19.6 | 15.2 | 10.1 | 252.6 |
| 2.7 | 30.1 | 19.1 | 76.1 | 20.4 | 15.7 | 10.5 | 262.3 |
| 2.8 | 31.2 | 19.8 | 78.9 | 21.1 | 16.3 | 10.9 | 272.0 |
| 2.9 | 32.3 | 20.5 | 81.7 | 21.9 | 16.9 | 11.3 | 281.7 |
| 3.0 | 33.4 | 21.2 | 84.5 | 22.7 | 17.5 | 11.7 | 291.5 |
| 3.1 | 34.5 | 21.9 | 87.3 | 23.4 | 18.1 | 12.0 | 301.2 |
| 3.2 | 35.6 | 22.6 | 90.2 | 24.2 | 18.7 | 12.4 | 310.9 |
| 3.3 | 36.8 | 23.4 | 93.0 | 24.9 | 19.2 | 12.8 | 320.6 |
| 3.4 | 37.9 | 24.1 | 95.8 | 25.7 | 19.8 | 13.2 | 330.3 |
| 3.5 | 39.0 | 24.8 | 98.6 | 26.4 | 20.4 | 13.6 | 340.0 |
| 3.6 | 40.1 | 25.5 | 101.4 | 27.2 | 21.0 | 14.0 | 349.7 |
| 3.7 | 41.2 | 26.2 | 104.2 | 27.9 | 21.6 | 14.4 | 359.5 |
| 3.8 | 42.3 | 26.9 | 107.1 | 28.7 | 22.2 | 14.8 | 369.2 |
| 3.9 | 43.4 | 27.6 | 109.9 | 29.5 | 22.7 | 15.2 | 378.9 |
| 4.0 | 44.6 | 28.3 | 112.7 | 30.2 | 23.3 | 15.5 | 388.6 |
| 4.1 | 45.7 | 29.0 | 115.5 | 31.0 | 23.9 | 15.9 | 398.3 |
| 4.2 | 46.8 | 29.7 | 118.3 | 31.7 | 24.5 | 16.3 | 408.0 |
| 4.3 | 47.9 | 30.4 | 121.1 | 32.5 | 25.1 | 16.7 | 417.8 |
| 4.4 | 49.0 | 31.1 | 124.0 | 33.2 | 25.6 | 17.1 | 427.5 |
| 4.5 | 50.1 | 31.8 | 126.8 | 34.0 | 26.2 | 17.5 | 437.2 |
| 4.6 | 51.2 | 32.6 | 129.6 | 34.7 | 26.8 | 17.9 | 446.9 |
| 4.7 | 52.4 | 33.3 | 132.4 | 35.5 | 27.4 | 18.3 | 456.6 |
| 4.8 | 53.5 | 34.0 | 135.2 | 36.3 | 28.0 | 18.7 | 466.3 |
| 4.9 | 54.6 | 34.7 | 138.1 | 37.0 | 28.6 | 19.0 | 476.0 |
| 5.0 | 55.7 | 35.4 | 140.9 | 37.8 | 29.1 | 19.4 | 485.8 |

| BKN 230 | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 6.03 | 0.79 | 2.57 | 0.99 | 0.53 | 0.35 | 8.85 |
| 1.0 | 60.3 | 7.9 | 25.7 | 9.9 | 5.3 | 3.5 | 88.5 |
| 2.0 | 120.5 | 15.8 | 51.3 | 19.8 | 10.6 | 7.1 | 177.0 |
| 2.5 | 150.7 | 19.8 | 64.2 | 24.8 | 13.3 | 8.8 | 221.2 |
| 2.6 | 156.7 | 20.6 | 66.7 | 25.8 | 13.8 | 9.2 | 230.1 |
| 2.7 | 162.7 | 21.4 | 69.3 | 26.7 | 14.3 | 9.6 | 238.9 |
| 2.8 | 168.7 | 22.2 | 71.8 | 27.7 | 14.9 | 9.9 | 247.8 |
| 2.9 | 174.8 | 22.9 | 74.4 | 28.7 | 15.4 | 10.3 | 256.6 |
| 3.0 | 180.8 | 23.7 | 77.0 | 29.7 | 15.9 | 10.6 | 265.5 |
| 3.1 | 186.8 | 24.5 | 79.5 | 30.7 | 16.5 | 11.0 | 274.3 |
| 3.2 | 192.8 | 25.3 | 82.1 | 31.7 | 17.0 | 11.3 | 283.2 |
| 3.3 | 198.9 | 26.1 | 84.7 | 32.7 | 17.5 | 11.7 | 292.0 |
| 3.4 | 204.9 | 26.9 | 87.2 | 33.7 | 18.1 | 12.0 | 300.8 |
| 3.5 | 210.9 | 27.7 | 89.8 | 34.7 | 18.6 | 12.4 | 309.7 |
| 3.6 | 216.9 | 28.5 | 92.4 | 35.7 | 19.1 | 12.7 | 318.5 |
| 3.7 | 223.0 | 29.3 | 94.9 | 36.6 | 19.6 | 13.1 | 327.4 |
| 3.8 | 229.0 | 30.1 | 97.5 | 37.6 | 20.2 | 13.4 | 336.2 |
| 3.9 | 235.0 | 30.9 | 100.1 | 38.6 | 20.7 | 13.8 | 345.1 |
| 4.0 | 241.0 | 31.6 | 102.6 | 39.6 | 21.2 | 14.2 | 353.9 |
| 4.1 | 247.1 | 32.4 | 105.2 | 40.6 | 21.8 | 14.5 | 362.8 |
| 4.2 | 253.1 | 33.2 | 107.8 | 41.6 | 22.3 | 14.9 | 371.6 |
| 4.3 | 259.1 | 34.0 | 110.3 | 42.6 | 22.8 | 15.2 | 380.5 |
| 4.4 | 265.2 | 34.8 | 112.9 | 43.6 | 23.4 | 15.6 | 389.3 |
| 4.5 | 271.2 | 35.6 | 115.5 | 44.6 | 23.9 | 15.9 | 398.2 |
| 4.6 | 277.2 | 36.4 | 118.0 | 45.6 | 24.4 | 16.3 | 407.0 |
| 4.7 | 283.2 | 37.2 | 120.6 | 46.6 | 25.0 | 16.6 | 415.9 |
| 4.8 | 289.3 | 38.0 | 123.2 | 47.5 | 25.5 | 17.0 | 424.7 |
| 4.9 | 295.3 | 38.8 | 125.7 | 48.5 | 26.0 | 17.3 | 433.6 |
| 5.0 | 301.3 | 39.6 | 128.3 | 49.5 | 26.5 | 17.7 | 442.4 |

| BKN 200 | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 5.25 | 0.79 | 2.60 | 0.96 | 0.54 | 0.36 | 8.98 |
| 1.0 | 52.5 | 7.9 | 26.0 | 9.6 | 5.4 | 3.6 | 89.8 |
| 2.0 | 105.0 | 15.8 | 52.1 | 19.2 | 10.8 | 7.2 | 179.6 |
| 2.5 | 131.3 | 19.8 | 65.1 | 24.0 | 13.5 | 9.0 | 224.5 |
| 2.6 | 136.5 | 20.6 | 67.7 | 25.0 | 14.0 | 9.3 | 233.5 |
| 2.7 | 141.8 | 21.4 | 70.3 | 26.0 | 14.6 | 9.7 | 242.5 |
| 2.8 | 147.0 | 22.2 | 72.9 | 26.9 | 15.1 | 10.1 | 251.5 |
| 2.9 | 152.3 | 22.9 | 75.5 | 27.9 | 15.6 | 10.4 | 260.5 |
| 3.0 | 157.5 | 23.7 | 78.1 | 28.8 | 16.2 | 10.8 | 269.5 |
| 3.1 | 162.8 | 24.5 | 80.7 | 29.8 | 16.7 | 11.1 | 278.4 |
| 3.2 | 168.0 | 25.3 | 83.4 | 30.8 | 17.2 | 11.5 | 287.4 |
| 3.3 | 173.3 | 26.1 | 86.0 | 31.7 | 17.8 | 11.9 | 296.4 |
| 3.4 | 178.5 | 26.9 | 88.6 | 32.7 | 18.3 | 12.2 | 305.4 |
| 3.5 | 183.8 | 27.7 | 91.2 | 33.7 | 18.9 | 12.6 | 314.4 |
| 3.6 | 189.0 | 28.5 | 93.8 | 34.6 | 19.4 | 12.9 | 323.3 |
| 3.7 | 194.3 | 29.3 | 96.4 | 35.6 | 19.9 | 13.3 | 332.3 |
| 3.8 | 199.5 | 30.1 | 99.0 | 36.5 | 20.5 | 13.7 | 341.3 |
| 3.9 | 204.8 | 30.9 | 101.6 | 37.5 | 21.0 | 14.0 | 350.3 |
| 4.0 | 210.0 | 31.7 | 104.2 | 38.5 | 21.6 | 14.4 | 359.3 |
| 4.1 | 215.3 | 32.4 | 106.8 | 39.4 | 22.1 | 14.7 | 368.3 |
| 4.2 | 220.5 | 33.2 | 109.4 | 40.4 | 22.6 | 15.1 | 377.2 |
| 4.3 | 225.8 | 34.0 | 112.0 | 41.3 | 23.2 | 15.4 | 386.2 |
| 4.4 | 231.0 | 34.8 | 114.6 | 42.3 | 23.7 | 15.8 | 395.2 |
| 4.5 | 236.3 | 35.6 | 117.2 | 43.3 | 24.3 | 16.2 | 404.2 |
| 4.6 | 241.5 | 36.4 | 119.8 | 44.2 | 24.8 | 16.5 | 413.2 |
| 4.7 | 246.8 | 37.2 | 122.4 | 45.2 | 25.3 | 16.9 | 422.2 |
| 4.8 | 252.0 | 38.0 | 125.0 | 46.2 | 25.9 | 17.2 | 431.1 |
| 4.9 | 257.3 | 38.8 | 127.6 | 47.1 | 26.4 | 17.6 | 440.1 |
| 5.0 | 262.5 | 39.6 | 130.2 | 48.1 | 26.9 | 18.0 | 449.1 |

PHOSPHORUS PRODUCTS

| EMERALD 2 | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 9.95 | 1.00 | 2.35 | 1.27 | 0.49 | 0.32 | 8.12 |
| 1.0 | 99.5 | 10.0 | 23.5 | 12.7 | 4.9 | 3.2 | 81.2 |
| 2.0 | 199.0 | 20.0 | 47.1 | 25.3 | 9.7 | 6.5 | 162.4 |
| 2.5 | 248.7 | 25.0 | 58.9 | 31.7 | 12.2 | 8.1 | 203.0 |
| 2.6 | 258.7 | 26.0 | 61.2 | 32.9 | 12.7 | 8.4 | 211.1 |
| 2.7 | 268.6 | 27.0 | 63.6 | 34.2 | 13.2 | 8.8 | 219.2 |
| 2.8 | 278.6 | 28.0 | 65.9 | 35.5 | 13.6 | 9.1 | 227.3 |
| 2.9 | 288.5 | 29.0 | 68.3 | 36.7 | 14.1 | 9.4 | 235.5 |
| 3.0 | 298.5 | 30.0 | 70.6 | 38.0 | 14.6 | 9.7 | 243.6 |
| 3.1 | 308.4 | 31.0 | 73.0 | 39.3 | 15.1 | 10.1 | 251.7 |
| 3.2 | 318.4 | 32.0 | 75.3 | 40.5 | 15.6 | 10.4 | 259.8 |
| 3.3 | 328.3 | 33.0 | 77.7 | 41.8 | 16.1 | 10.7 | 267.9 |
| 3.4 | 338.3 | 34.0 | 80.1 | 43.1 | 16.6 | 11.0 | 276.1 |
| 3.5 | 348.2 | 35.0 | 82.4 | 44.4 | 17.1 | 11.4 | 284.2 |
| 3.6 | 358.2 | 36.0 | 84.8 | 45.6 | 17.5 | 11.7 | 292.3 |
| 3.7 | 368.1 | 37.0 | 87.1 | 46.9 | 18.0 | 12.0 | 300.4 |
| 3.8 | 378.1 | 38.0 | 89.5 | 48.2 | 18.5 | 12.3 | 308.5 |
| 3.9 | 388.0 | 39.0 | 91.8 | 49.4 | 19.0 | 12.7 | 316.7 |
| 4.0 | 398.0 | 40.0 | 94.2 | 50.7 | 19.5 | 13.0 | 324.8 |
| 4.1 | 407.9 | 41.0 | 96.5 | 52.0 | 20.0 | 13.3 | 332.9 |
| 4.2 | 417.9 | 42.0 | 98.9 | 53.2 | 20.5 | 13.6 | 341.0 |
| 4.3 | 427.8 | 43.0 | 101.2 | 54.5 | 20.9 | 14.0 | 349.1 |
| 4.4 | 437.8 | 44.0 | 103.6 | 55.8 | 21.4 | 14.3 | 357.3 |
| 4.5 | 447.7 | 45.0 | 106.0 | 57.0 | 21.9 | 14.6 | 365.4 |
| 4.6 | 457.7 | 46.0 | 108.3 | 58.3 | 22.4 | 14.9 | 373.5 |
| 4.7 | 467.6 | 47.0 | 110.7 | 59.6 | 22.9 | 15.3 | 381.6 |
| 4.8 | 477.6 | 48.0 | 113.0 | 60.8 | 23.4 | 15.6 | 389.7 |
| 4.9 | 487.5 | 49.1 | 115.4 | 62.1 | 23.9 | 15.9 | 397.8 |
| 5.0 | 497.5 | 50.1 | 117.7 | 63.4 | 24.4 | 16.2 | 406.0 |

| EMERALD 4 | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 7.67 | 1.16 | 2.46 | 1.28 | 0.51 | 0.34 | 8.47 |
| 1.0 | 76.7 | 11.6 | 24.6 | 12.8 | 5.1 | 3.4 | 84.7 |
| 2.0 | 153.3 | 23.3 | 49.1 | 25.7 | 10.2 | 6.8 | 169.4 |
| 2.5 | 191.7 | 29.1 | 61.4 | 32.1 | 12.7 | 8.5 | 211.8 |
| 2.6 | 199.3 | 30.3 | 63.9 | 33.3 | 13.2 | 8.8 | 220.2 |
| 2.7 | 207.0 | 31.4 | 66.3 | 34.6 | 13.7 | 9.1 | 228.7 |
| 2.8 | 214.7 | 32.6 | 68.8 | 35.9 | 14.2 | 9.5 | 237.2 |
| 2.9 | 222.3 | 33.8 | 71.2 | 37.2 | 14.7 | 9.8 | 245.6 |
| 3.0 | 230.0 | 34.9 | 73.7 | 38.5 | 15.2 | 10.2 | 254.1 |
| 3.1 | 237.7 | 36.1 | 76.2 | 39.8 | 15.8 | 10.5 | 262.6 |
| 3.2 | 245.3 | 37.2 | 78.6 | 41.0 | 16.3 | 10.8 | 271.1 |
| 3.3 | 253.0 | 38.4 | 81.1 | 42.3 | 16.8 | 11.2 | 279.5 |
| 3.4 | 260.6 | 39.6 | 83.5 | 43.6 | 17.3 | 11.5 | 288.0 |
| 3.5 | 268.3 | 40.7 | 86.0 | 44.9 | 17.8 | 11.9 | 296.5 |
| 3.6 | 276.0 | 41.9 | 88.4 | 46.2 | 18.3 | 12.2 | 304.9 |
| 3.7 | 283.6 | 43.1 | 90.9 | 47.5 | 18.8 | 12.5 | 313.4 |
| 3.8 | 291.3 | 44.2 | 93.3 | 48.7 | 19.3 | 12.9 | 321.9 |
| 3.9 | 299.0 | 45.4 | 95.8 | 50.0 | 19.8 | 13.2 | 330.4 |
| 4.0 | 306.6 | 46.6 | 98.3 | 51.3 | 20.3 | 13.6 | 338.8 |
| 4.1 | 314.3 | 47.7 | 100.7 | 52.6 | 20.8 | 13.9 | 347.3 |
| 4.2 | 322.0 | 48.9 | 103.2 | 53.9 | 21.3 | 14.2 | 355.8 |
| 4.3 | 329.6 | 50.0 | 105.6 | 55.2 | 21.9 | 14.6 | 364.2 |
| 4.4 | 337.3 | 51.2 | 108.1 | 56.4 | 22.4 | 14.9 | 372.7 |
| 4.5 | 345.0 | 52.4 | 110.5 | 57.7 | 22.9 | 15.2 | 381.2 |
| 4.6 | 352.6 | 53.5 | 113.0 | 59.0 | 23.4 | 15.6 | 389.6 |
| 4.7 | 360.3 | 54.7 | 115.5 | 60.3 | 23.9 | 15.9 | 398.1 |
| 4.8 | 368.0 | 55.9 | 117.9 | 61.6 | 24.4 | 16.3 | 406.6 |
| 4.9 | 375.6 | 57.0 | 120.4 | 62.9 | 24.9 | 16.6 | 415.1 |
| 5.0 | 383.3 | 58.2 | 122.8 | 64.1 | 25.4 | 16.9 | 423.5 |

| MID N + P | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 4.98 | 0.33 | 2.65 | 0.67 | 0.55 | 0.37 | 9.15 |
| 1.0 | 49.8 | 3.3 | 26.5 | 6.7 | 5.5 | 3.7 | 91.5 |
| 2.0 | 99.5 | 6.7 | 53.1 | 13.4 | 11.0 | 7.3 | 182.9 |
| 2.5 | 124.4 | 8.4 | 66.3 | 16.7 | 13.7 | 9.1 | 228.7 |
| 2.6 | 129.4 | 8.7 | 69.0 | 17.4 | 14.3 | 9.5 | 237.8 |
| 2.7 | 134.3 | 9.0 | 71.6 | 18.0 | 14.8 | 9.9 | 247.0 |
| 2.8 | 139.3 | 9.4 | 74.3 | 18.7 | 15.4 | 10.2 | 256.1 |
| 2.9 | 144.3 | 9.7 | 76.9 | 19.4 | 15.9 | 10.6 | 265.3 |
| 3.0 | 149.3 | 10.0 | 79.6 | 20.0 | 16.5 | 11.0 | 274.4 |
| 3.1 | 154.2 | 10.4 | 82.2 | 20.7 | 17.0 | 11.3 | 283.5 |
| 3.2 | 159.2 | 10.7 | 84.9 | 21.4 | 17.6 | 11.7 | 292.7 |
| 3.3 | 164.2 | 11.0 | 87.5 | 22.0 | 18.1 | 12.1 | 301.8 |
| 3.4 | 169.2 | 11.4 | 90.2 | 22.7 | 18.7 | 12.4 | 311.0 |
| 3.5 | 174.1 | 11.7 | 92.8 | 23.4 | 19.2 | 12.8 | 320.1 |
| 3.6 | 179.1 | 12.0 | 95.5 | 24.0 | 19.8 | 13.2 | 329.3 |
| 3.7 | 184.1 | 12.4 | 98.1 | 24.7 | 20.3 | 13.5 | 338.4 |
| 3.8 | 189.1 | 12.7 | 100.8 | 25.4 | 20.9 | 13.9 | 347.6 |
| 3.9 | 194.0 | 13.0 | 103.4 | 26.1 | 21.4 | 14.3 | 356.7 |
| 4.0 | 199.0 | 13.4 | 106.1 | 26.7 | 22.0 | 14.6 | 365.9 |
| 4.1 | 204.0 | 13.7 | 108.8 | 27.4 | 22.5 | 15.0 | 375.0 |
| 4.2 | 209.0 | 14.0 | 111.4 | 28.1 | 23.0 | 15.4 | 384.2 |
| 4.3 | 213.9 | 14.4 | 114.1 | 28.7 | 23.6 | 15.7 | 393.3 |
| 4.4 | 218.9 | 14.7 | 116.7 | 29.4 | 24.1 | 16.1 | 402.5 |
| 4.5 | 223.9 | 15.0 | 119.4 | 30.1 | 24.7 | 16.5 | 411.6 |
| 4.6 | 228.9 | 15.4 | 122.0 | 30.7 | 25.2 | 16.8 | 420.7 |
| 4.7 | 233.8 | 15.7 | 124.7 | 31.4 | 25.8 | 17.2 | 429.9 |
| 4.8 | 238.8 | 16.0 | 127.3 | 32.1 | 26.3 | 17.6 | 439.0 |
| 4.9 | 243.8 | 16.4 | 130.0 | 32.7 | 26.9 | 17.9 | 448.2 |
| 5.0 | 248.8 | 16.7 | 132.6 | 33.4 | 27.4 | 18.3 | 457.3 |

| LOP RATOONER | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 4.71 | 0.26 | 2.67 | 0.61 | 0.55 | 0.37 | 9.21 |
| 1.0 | 47.1 | 2.6 | 26.7 | 6.1 | 5.5 | 3.7 | 92.1 |
| 2.0 | 94.2 | 5.1 | 53.4 | 12.2 | 11.1 | 7.4 | 184.3 |
| 2.5 | 117.7 | 6.4 | 66.8 | 15.2 | 13.8 | 9.2 | 230.3 |
| 2.6 | 122.4 | 6.7 | 69.5 | 15.9 | 14.4 | 9.6 | 239.5 |
| 2.7 | 127.1 | 6.9 | 72.1 | 16.5 | 14.9 | 9.9 | 248.7 |
| 2.8 | 131.8 | 7.2 | 74.8 | 17.1 | 15.5 | 10.3 | 258.0 |
| 2.9 | 136.6 | 7.4 | 77.5 | 17.7 | 16.0 | 10.7 | 267.2 |
| 3.0 | 141.3 | 7.7 | 80.1 | 18.3 | 16.6 | 11.1 | 276.4 |
| 3.1 | 146.0 | 7.9 | 82.8 | 18.9 | 17.1 | 11.4 | 285.6 |
| 3.2 | 150.7 | 8.2 | 85.5 | 19.5 | 17.7 | 11.8 | 294.8 |
| 3.3 | 155.4 | 8.4 | 88.2 | 20.1 | 18.2 | 12.2 | 304.0 |
| 3.4 | 160.1 | 8.7 | 90.8 | 20.7 | 18.8 | 12.5 | 313.2 |
| 3.5 | 164.8 | 9.0 | 93.5 | 21.3 | 19.3 | 12.9 | 322.4 |
| 3.6 | 169.5 | 9.2 | 96.2 | 21.9 | 19.9 | 13.3 | 331.7 |
| 3.7 | 174.2 | 9.5 | 98.9 | 22.6 | 20.5 | 13.6 | 340.9 |
| 3.8 | 178.9 | 9.7 | 101.5 | 23.2 | 21.0 | 14.0 | 350.1 |
| 3.9 | 183.6 | 10.0 | 104.2 | 23.8 | 21.6 | 14.4 | 359.3 |
| 4.0 | 188.4 | 10.2 | 106.9 | 24.4 | 22.1 | 14.7 | 368.5 |
| 4.1 | 193.1 | 10.5 | 109.5 | 25.0 | 22.7 | 15.1 | 377.7 |
| 4.2 | 197.8 | 10.7 | 112.2 | 25.6 | 23.2 | 15.5 | 386.9 |
| 4.3 | 202.5 | 11.0 | 114.9 | 26.2 | 23.8 | 15.8 | 396.1 |
| 4.4 | 207.2 | 11.3 | 117.6 | 26.8 | 24.3 | 16.2 | 405.4 |
| 4.5 | 211.9 | 11.5 | 120.2 | 27.4 | 24.9 | 16.6 | 414.6 |
| 4.6 | 216.6 | 11.8 | 122.9 | 28.0 | 25.4 | 17.0 | 423.8 |
| 4.7 | 221.3 | 12.0 | 125.6 | 28.7 | 26.0 | 17.3 | 433.0 |
| 4.8 | 226.0 | 12.3 | 128.2 | 29.3 | 26.5 | 17.7 | 442.2 |
| 4.9 | 230.7 | 12.5 | 130.9 | 29.9 | 27.1 | 18.1 | 451.4 |
| 5.0 | 235.4 | 12.8 | 133.6 | 30.5 | 27.6 | 18.4 | 460.6 |

PHOSPHORUS PRODUCTS

| LIQUID ONE SHOT® + P | | | | | | | |
|----------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M³/HA | 4.68 | 0.48 | 2.66 | 0.74 | 0.55 | 0.37 | 9.16 |
| 1.0 | 46.8 | 4.8 | 26.6 | 7.4 | 5.5 | 3.7 | 91.6 |
| 2.0 | 93.5 | 9.5 | 53.1 | 14.9 | 11.0 | 7.3 | 183.2 |
| 2.5 | 116.9 | 11.9 | 66.4 | 18.6 | 13.7 | 9.2 | 229.0 |
| 2.6 | 121.6 | 12.4 | 69.1 | 19.4 | 14.3 | 9.5 | 238.2 |
| 2.7 | 126.3 | 12.8 | 71.7 | 20.1 | 14.8 | 9.9 | 247.4 |
| 2.8 | 130.9 | 13.3 | 74.4 | 20.8 | 15.4 | 10.3 | 256.5 |
| 2.9 | 135.6 | 13.8 | 77.1 | 21.6 | 15.9 | 10.6 | 265.7 |
| 3.0 | 140.3 | 14.3 | 79.7 | 22.3 | 16.5 | 11.0 | 274.9 |
| 3.1 | 145.0 | 14.7 | 82.4 | 23.1 | 17.0 | 11.4 | 284.0 |
| 3.2 | 149.6 | 15.2 | 85.0 | 23.8 | 17.6 | 11.7 | 293.2 |
| 3.3 | 154.3 | 15.7 | 87.7 | 24.6 | 18.1 | 12.1 | 302.3 |
| 3.4 | 159.0 | 16.2 | 90.3 | 25.3 | 18.7 | 12.5 | 311.5 |
| 3.5 | 163.7 | 16.6 | 93.0 | 26.1 | 19.2 | 12.8 | 320.7 |
| 3.6 | 168.3 | 17.1 | 95.6 | 26.8 | 19.8 | 13.2 | 329.8 |
| 3.7 | 173.0 | 17.6 | 98.3 | 27.5 | 20.3 | 13.6 | 339.0 |
| 3.8 | 177.7 | 18.1 | 101.0 | 28.3 | 20.9 | 13.9 | 348.1 |
| 3.9 | 182.4 | 18.5 | 103.6 | 29.0 | 21.4 | 14.3 | 357.3 |
| 4.0 | 187.1 | 19.0 | 106.3 | 29.8 | 22.0 | 14.7 | 366.5 |
| 4.1 | 191.7 | 19.5 | 108.9 | 30.5 | 22.5 | 15.0 | 375.6 |
| 4.2 | 196.4 | 20.0 | 111.6 | 31.3 | 23.1 | 15.4 | 384.8 |
| 4.3 | 201.1 | 20.4 | 114.2 | 32.0 | 23.6 | 15.8 | 394.0 |
| 4.4 | 205.8 | 20.9 | 116.9 | 32.8 | 24.2 | 16.1 | 403.1 |
| 4.5 | 210.4 | 21.4 | 119.6 | 33.5 | 24.7 | 16.5 | 412.3 |
| 4.6 | 215.1 | 21.9 | 122.2 | 34.2 | 25.3 | 16.9 | 421.4 |
| 4.7 | 219.8 | 22.3 | 124.9 | 35.0 | 25.8 | 17.2 | 430.6 |
| 4.8 | 224.5 | 22.8 | 127.5 | 35.7 | 26.4 | 17.6 | 439.8 |
| 4.9 | 229.1 | 23.3 | 130.2 | 36.5 | 26.9 | 18.0 | 448.9 |
| 5.0 | 233.8 | 23.8 | 132.8 | 37.2 | 27.5 | 18.3 | 458.1 |

| LIQUID PREPLANT | | | | | | | |
|-----------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M³/HA | 4.25 | 0.80 | 2.65 | 0.93 | 0.55 | 0.37 | 9.15 |
| 1.0 | 42.5 | 8.0 | 26.5 | 9.3 | 5.5 | 3.7 | 91.5 |
| 2.0 | 84.9 | 16.1 | 53.1 | 18.6 | 11.0 | 7.3 | 183.0 |
| 2.5 | 106.1 | 20.1 | 66.4 | 23.3 | 13.7 | 9.2 | 228.8 |
| 2.6 | 110.4 | 20.9 | 69.0 | 24.2 | 14.3 | 9.5 | 237.9 |
| 2.7 | 114.6 | 21.7 | 71.7 | 25.2 | 14.8 | 9.9 | 247.1 |
| 2.8 | 118.9 | 22.5 | 74.3 | 26.1 | 15.4 | 10.2 | 256.2 |
| 2.9 | 123.1 | 23.3 | 77.0 | 27.0 | 15.9 | 10.6 | 265.4 |
| 3.0 | 127.4 | 24.1 | 79.6 | 27.9 | 16.5 | 11.0 | 274.6 |
| 3.1 | 131.6 | 24.9 | 82.3 | 28.9 | 17.0 | 11.3 | 283.7 |
| 3.2 | 135.9 | 25.7 | 84.9 | 29.8 | 17.6 | 11.7 | 292.9 |
| 3.3 | 140.1 | 26.5 | 87.6 | 30.7 | 18.1 | 12.1 | 302.0 |
| 3.4 | 144.3 | 27.3 | 90.2 | 31.7 | 18.7 | 12.4 | 311.2 |
| 3.5 | 148.6 | 28.1 | 92.9 | 32.6 | 19.2 | 12.8 | 320.3 |
| 3.6 | 152.8 | 28.9 | 95.5 | 33.5 | 19.8 | 13.2 | 329.5 |
| 3.7 | 157.1 | 29.7 | 98.2 | 34.5 | 20.3 | 13.5 | 338.6 |
| 3.8 | 161.3 | 30.5 | 100.9 | 35.4 | 20.9 | 13.9 | 347.8 |
| 3.9 | 165.6 | 31.3 | 103.5 | 36.3 | 21.4 | 14.3 | 356.9 |
| 4.0 | 169.8 | 32.1 | 106.2 | 37.3 | 22.0 | 14.6 | 366.1 |
| 4.1 | 174.1 | 32.9 | 108.8 | 38.2 | 22.5 | 15.0 | 375.2 |
| 4.2 | 178.3 | 33.7 | 111.5 | 39.1 | 23.1 | 15.4 | 384.4 |
| 4.3 | 182.6 | 34.5 | 114.1 | 40.1 | 23.6 | 15.7 | 393.5 |
| 4.4 | 186.8 | 35.4 | 116.8 | 41.0 | 24.2 | 16.1 | 402.7 |
| 4.5 | 191.0 | 36.2 | 119.4 | 41.9 | 24.7 | 16.5 | 411.8 |
| 4.6 | 195.3 | 37.0 | 122.1 | 42.9 | 25.3 | 16.8 | 421.0 |
| 4.7 | 199.5 | 37.8 | 124.7 | 43.8 | 25.8 | 17.2 | 430.1 |
| 4.8 | 203.8 | 38.6 | 127.4 | 44.7 | 26.4 | 17.6 | 439.3 |
| 4.9 | 208.0 | 39.4 | 130.0 | 45.6 | 26.9 | 17.9 | 448.4 |
| 5.0 | 212.3 | 40.2 | 132.7 | 46.6 | 27.5 | 18.3 | 457.6 |

| CORN 1 | | | | | | | |
|--------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M³/HA | 4.38 | 1.12 | 2.62 | 1.13 | 0.54 | 0.36 | 9.05 |
| 1.0 | 43.8 | 11.2 | 26.2 | 11.3 | 5.4 | 3.6 | 90.5 |
| 2.0 | 87.7 | 22.4 | 52.5 | 22.7 | 10.9 | 7.2 | 180.9 |
| 2.5 | 109.6 | 28.1 | 65.6 | 28.4 | 13.6 | 9.0 | 226.1 |
| 2.6 | 114.0 | 29.2 | 68.2 | 29.5 | 14.1 | 9.4 | 235.2 |
| 2.7 | 118.4 | 30.3 | 70.8 | 30.6 | 14.7 | 9.8 | 244.2 |
| 2.8 | 122.8 | 31.4 | 73.5 | 31.8 | 15.2 | 10.1 | 253.3 |
| 2.9 | 127.2 | 32.5 | 76.1 | 32.9 | 15.7 | 10.5 | 262.3 |
| 3.0 | 131.5 | 33.7 | 78.7 | 34.0 | 16.3 | 10.9 | 271.4 |
| 3.1 | 135.9 | 34.8 | 81.3 | 35.2 | 16.8 | 11.2 | 280.4 |
| 3.2 | 140.3 | 35.9 | 83.9 | 36.3 | 17.4 | 11.6 | 289.5 |
| 3.3 | 144.7 | 37.0 | 86.6 | 37.4 | 17.9 | 11.9 | 298.5 |
| 3.4 | 149.1 | 38.2 | 89.2 | 38.6 | 18.5 | 12.3 | 307.6 |
| 3.5 | 153.5 | 39.3 | 91.8 | 39.7 | 19.0 | 12.7 | 316.6 |
| 3.6 | 157.9 | 40.4 | 94.4 | 40.8 | 19.5 | 13.0 | 325.7 |
| 3.7 | 162.2 | 41.5 | 97.1 | 42.0 | 20.1 | 13.4 | 334.7 |
| 3.8 | 166.6 | 42.6 | 99.7 | 43.1 | 20.6 | 13.7 | 343.7 |
| 3.9 | 171.0 | 43.8 | 102.3 | 44.2 | 21.2 | 14.1 | 352.8 |
| 4.0 | 175.4 | 44.9 | 104.9 | 45.4 | 21.7 | 14.5 | 361.8 |
| 4.1 | 179.8 | 46.0 | 107.6 | 46.5 | 22.3 | 14.8 | 370.9 |
| 4.2 | 184.2 | 47.1 | 110.2 | 47.6 | 22.8 | 15.2 | 379.9 |
| 4.3 | 188.6 | 48.3 | 112.8 | 48.8 | 23.3 | 15.6 | 389.0 |
| 4.4 | 192.9 | 49.4 | 115.4 | 49.9 | 23.9 | 15.9 | 398.0 |
| 4.5 | 197.3 | 50.5 | 118.0 | 51.0 | 24.4 | 16.3 | 407.1 |
| 4.6 | 201.7 | 51.6 | 120.7 | 52.2 | 25.0 | 16.6 | 416.1 |
| 4.7 | 206.1 | 52.7 | 123.3 | 53.3 | 25.5 | 17.0 | 425.2 |
| 4.8 | 210.5 | 53.9 | 125.9 | 54.4 | 26.1 | 17.4 | 434.2 |
| 4.9 | 214.9 | 55.0 | 128.5 | 55.6 | 26.6 | 17.7 | 443.3 |
| 5.0 | 219.2 | 56.1 | 131.2 | 56.7 | 27.1 | 18.1 | 452.3 |

| ECONO LIQUID ONE SHOT® + P | | | | | | | |
|----------------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M³/HA | 4.22 | 0.35 | 2.69 | 0.65 | 0.56 | 0.37 | 9.27 |
| 1.0 | 42.2 | 3.5 | 26.9 | 6.5 | 5.6 | 3.7 | 92.7 |
| 2.0 | 84.5 | 6.9 | 53.8 | 13.0 | 11.1 | 7.4 | 185.5 |
| 2.5 | 105.6 | 8.7 | 67.2 | 16.2 | 13.9 | 9.3 | 231.8 |
| 2.6 | 109.8 | 9.0 | 69.9 | 16.8 | 14.5 | 9.6 | 241.1 |
| 2.7 | 114.0 | 9.3 | 72.6 | 17.5 | 15.0 | 10.0 | 250.4 |
| 2.8 | 118.3 | 9.7 | 75.3 | 18.1 | 15.6 | 10.4 | 259.6 |
| 2.9 | 122.5 | 10.0 | 78.0 | 18.8 | 16.1 | 10.8 | 268.9 |
| 3.0 | 126.7 | 10.4 | 80.7 | 19.4 | 16.7 | 11.1 | 278.2 |
| 3.1 | 130.9 | 10.7 | 83.4 | 20.1 | 17.2 | 11.5 | 287.5 |
| 3.2 | 135.2 | 11.1 | 86.1 | 20.7 | 17.8 | 11.9 | 296.7 |
| 3.3 | 139.4 | 11.4 | 88.7 | 21.4 | 18.4 | 12.2 | 306.0 |
| 3.4 | 143.6 | 11.8 | 91.4 | 22.0 | 18.9 | 12.6 | 315.3 |
| 3.5 | 147.8 | 12.1 | 94.1 | 22.7 | 19.5 | 13.0 | 324.5 |
| 3.6 | 152.1 | 12.5 | 96.8 | 23.3 | 20.0 | 13.4 | 333.8 |
| 3.7 | 156.3 | 12.8 | 99.5 | 24.0 | 20.6 | 13.7 | 343.1 |
| 3.8 | 160.5 | 13.2 | 102.2 | 24.6 | 21.1 | 14.1 | 352.4 |
| 3.9 | 164.7 | 13.5 | 104.9 | 25.3 | 21.7 | 14.5 | 361.6 |
| 4.0 | 169.0 | 13.9 | 107.6 | 25.9 | 22.3 | 14.8 | 370.9 |
| 4.1 | 173.2 | 14.2 | 110.3 | 26.5 | 22.8 | 15.2 | 380.2 |
| 4.2 | 177.4 | 14.5 | 112.9 | 27.2 | 23.4 | 15.6 | 389.5 |
| 4.3 | 181.6 | 14.9 | 115.6 | 27.8 | 23.9 | 15.9 | 398.7 |
| 4.4 | 185.9 | 15.2 | 118.3 | 28.5 | 24.5 | 16.3 | 408.0 |
| 4.5 | 190.1 | 15.6 | 121.0 | 29.1 | 25.0 | 16.7 | 417.3 |
| 4.6 | 194.3 | 15.9 | 123.7 | 29.8 | 25.6 | 17.1 | 426.5 |
| 4.7 | 198.5 | 16.3 | 126.4 | 30.4 | 26.1 | 17.4 | 435.8 |
| 4.8 | 202.8 | 16.6 | 129.1 | 31.1 | 26.7 | 17.8 | 445.1 |
| 4.9 | 207.0 | 17.0 | 131.8 | 31.7 | 27.3 | 18.2 | 454.4 |
| 5.0 | 211.2 | 17.3 | 134.5 | 32.4 | 27.8 | 18.5 | 463.6 |

PHOSPHORUS PRODUCTS

SPRING 1

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------------|-------|------|-------|------|------|------|-------|
| M ³ /HA | 4.20 | 0.50 | 2.68 | 0.74 | 0.55 | 0.37 | 9.24 |
| 1.0 | 42.0 | 5.0 | 26.8 | 7.4 | 5.5 | 3.7 | 92.4 |
| 2.0 | 84.0 | 9.9 | 53.6 | 14.8 | 11.1 | 7.4 | 184.8 |
| 2.5 | 105.0 | 12.4 | 67.0 | 18.5 | 13.9 | 9.2 | 231.0 |
| 2.6 | 109.2 | 12.9 | 69.7 | 19.2 | 14.4 | 9.6 | 240.2 |
| 2.7 | 113.4 | 13.4 | 72.3 | 20.0 | 15.0 | 10.0 | 249.4 |
| 2.8 | 117.6 | 13.9 | 75.0 | 20.7 | 15.5 | 10.3 | 258.7 |
| 2.9 | 121.8 | 14.4 | 77.7 | 21.5 | 16.1 | 10.7 | 267.9 |
| 3.0 | 126.0 | 14.9 | 80.4 | 22.2 | 16.6 | 11.1 | 277.1 |
| 3.1 | 130.2 | 15.4 | 83.1 | 22.9 | 17.2 | 11.5 | 286.4 |
| 3.2 | 134.4 | 15.9 | 85.7 | 23.7 | 17.7 | 11.8 | 295.6 |
| 3.3 | 138.6 | 16.4 | 88.4 | 24.4 | 18.3 | 12.2 | 304.9 |
| 3.4 | 142.8 | 16.9 | 91.1 | 25.2 | 18.8 | 12.6 | 314.1 |
| 3.5 | 147.0 | 17.4 | 93.8 | 25.9 | 19.4 | 12.9 | 323.3 |
| 3.6 | 151.2 | 17.9 | 96.4 | 26.6 | 20.0 | 13.3 | 332.6 |
| 3.7 | 155.4 | 18.4 | 99.1 | 27.4 | 20.5 | 13.7 | 341.8 |
| 3.8 | 159.6 | 18.9 | 101.8 | 28.1 | 21.1 | 14.0 | 351.0 |
| 3.9 | 163.8 | 19.4 | 104.5 | 28.9 | 21.6 | 14.4 | 360.3 |
| 4.0 | 168.0 | 19.9 | 107.2 | 29.6 | 22.2 | 14.8 | 369.5 |
| 4.1 | 172.2 | 20.4 | 109.8 | 30.3 | 22.7 | 15.2 | 378.8 |
| 4.2 | 176.4 | 20.9 | 112.5 | 31.1 | 23.3 | 15.5 | 388.0 |
| 4.3 | 180.6 | 21.4 | 115.2 | 31.8 | 23.8 | 15.9 | 397.2 |
| 4.4 | 184.9 | 21.9 | 117.9 | 32.6 | 24.4 | 16.3 | 406.5 |
| 4.5 | 189.1 | 22.4 | 120.6 | 33.3 | 24.9 | 16.6 | 415.7 |
| 4.6 | 193.3 | 22.8 | 123.2 | 34.0 | 25.5 | 17.0 | 425.0 |
| 4.7 | 197.5 | 23.3 | 125.9 | 34.8 | 26.1 | 17.4 | 434.2 |
| 4.8 | 201.7 | 23.8 | 128.6 | 35.5 | 26.6 | 17.7 | 443.4 |
| 4.9 | 205.9 | 24.3 | 131.3 | 36.3 | 27.2 | 18.1 | 452.7 |
| 5.0 | 210.1 | 24.8 | 134.0 | 37.0 | 27.7 | 18.5 | 461.9 |

MKY 180P

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------------|-------|------|-------|------|------|------|-------|
| M ³ /HA | 3.98 | 0.25 | 2.71 | 0.58 | 0.56 | 0.37 | 9.34 |
| 1.0 | 39.8 | 2.5 | 27.1 | 5.8 | 5.6 | 3.7 | 93.4 |
| 2.0 | 79.7 | 5.0 | 54.2 | 11.6 | 11.2 | 7.5 | 186.8 |
| 2.5 | 99.6 | 6.3 | 67.7 | 14.5 | 14.0 | 9.3 | 233.5 |
| 2.6 | 103.6 | 6.5 | 70.4 | 15.1 | 14.6 | 9.7 | 242.8 |
| 2.7 | 107.6 | 6.8 | 73.1 | 15.6 | 15.1 | 10.1 | 252.1 |
| 2.8 | 111.6 | 7.0 | 75.8 | 16.2 | 15.7 | 10.5 | 261.5 |
| 2.9 | 115.5 | 7.3 | 78.5 | 16.8 | 16.2 | 10.8 | 270.8 |
| 3.0 | 119.5 | 7.5 | 81.2 | 17.4 | 16.8 | 11.2 | 280.2 |
| 3.1 | 123.5 | 7.8 | 84.0 | 17.9 | 17.4 | 11.6 | 289.5 |
| 3.2 | 127.5 | 8.0 | 86.7 | 18.5 | 17.9 | 12.0 | 298.8 |
| 3.3 | 131.5 | 8.3 | 89.4 | 19.1 | 18.5 | 12.3 | 308.2 |
| 3.4 | 135.5 | 8.5 | 92.1 | 19.7 | 19.1 | 12.7 | 317.5 |
| 3.5 | 139.4 | 8.8 | 94.8 | 20.3 | 19.6 | 13.1 | 326.9 |
| 3.6 | 143.4 | 9.0 | 97.5 | 20.8 | 20.2 | 13.4 | 336.2 |
| 3.7 | 147.4 | 9.3 | 100.2 | 21.4 | 20.7 | 13.8 | 345.5 |
| 3.8 | 151.4 | 9.5 | 102.9 | 22.0 | 21.3 | 14.2 | 354.9 |
| 3.9 | 155.4 | 9.8 | 105.6 | 22.6 | 21.9 | 14.6 | 364.2 |
| 4.0 | 159.4 | 10.0 | 108.3 | 23.2 | 22.4 | 14.9 | 373.6 |
| 4.1 | 163.3 | 10.3 | 111.0 | 23.7 | 23.0 | 15.3 | 382.9 |
| 4.2 | 167.3 | 10.5 | 113.7 | 24.3 | 23.5 | 15.7 | 392.2 |
| 4.3 | 171.3 | 10.8 | 116.5 | 24.9 | 24.1 | 16.1 | 401.6 |
| 4.4 | 175.3 | 11.0 | 119.2 | 25.5 | 24.7 | 16.4 | 410.9 |
| 4.5 | 179.3 | 11.3 | 121.9 | 26.1 | 25.2 | 16.8 | 420.2 |
| 4.6 | 183.3 | 11.5 | 124.6 | 26.6 | 25.8 | 17.2 | 429.6 |
| 4.7 | 187.3 | 11.8 | 127.3 | 27.2 | 26.3 | 17.6 | 438.9 |
| 4.8 | 191.2 | 12.0 | 130.0 | 27.8 | 26.9 | 17.9 | 448.3 |
| 4.9 | 195.2 | 12.3 | 132.7 | 28.4 | 27.5 | 18.3 | 457.6 |
| 5.0 | 199.2 | 12.5 | 135.4 | 28.9 | 28.0 | 18.7 | 466.9 |

MKY 190P

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------------|-------|------|-------|------|------|------|-------|
| M ³ /HA | 3.98 | 0.38 | 2.70 | 0.66 | 0.56 | 0.37 | 9.31 |
| 1.0 | 39.8 | 3.8 | 27.0 | 6.6 | 5.6 | 3.7 | 93.1 |
| 2.0 | 79.6 | 7.5 | 54.0 | 13.1 | 11.2 | 7.4 | 186.1 |
| 2.5 | 99.6 | 9.4 | 67.5 | 16.4 | 14.0 | 9.3 | 232.7 |
| 2.6 | 103.5 | 9.8 | 70.2 | 17.1 | 14.5 | 9.7 | 242.0 |
| 2.7 | 107.5 | 10.2 | 72.9 | 17.7 | 15.1 | 10.1 | 251.3 |
| 2.8 | 111.5 | 10.5 | 75.6 | 18.4 | 15.6 | 10.4 | 260.6 |
| 2.9 | 115.5 | 10.9 | 78.3 | 19.1 | 16.2 | 10.8 | 269.9 |
| 3.0 | 119.5 | 11.3 | 81.0 | 19.7 | 16.8 | 11.2 | 279.2 |
| 3.1 | 123.5 | 11.7 | 83.7 | 20.4 | 17.3 | 11.5 | 288.5 |
| 3.2 | 127.4 | 12.0 | 86.4 | 21.0 | 17.9 | 11.9 | 297.8 |
| 3.3 | 131.4 | 12.4 | 89.1 | 21.7 | 18.4 | 12.3 | 307.1 |
| 3.4 | 135.4 | 12.8 | 91.8 | 22.3 | 19.0 | 12.7 | 316.4 |
| 3.5 | 139.4 | 13.2 | 94.5 | 23.0 | 19.5 | 13.0 | 325.7 |
| 3.6 | 143.4 | 13.5 | 97.2 | 23.7 | 20.1 | 13.4 | 335.0 |
| 3.7 | 147.4 | 13.9 | 99.9 | 24.3 | 20.7 | 13.8 | 344.3 |
| 3.8 | 151.3 | 14.3 | 102.6 | 25.0 | 21.2 | 14.1 | 353.7 |
| 3.9 | 155.3 | 14.7 | 105.3 | 25.6 | 21.8 | 14.5 | 363.0 |
| 4.0 | 159.3 | 15.1 | 108.0 | 26.3 | 22.3 | 14.9 | 372.3 |
| 4.1 | 163.3 | 15.4 | 110.7 | 26.9 | 22.9 | 15.3 | 381.6 |
| 4.2 | 167.3 | 15.8 | 113.4 | 27.6 | 23.5 | 15.6 | 390.9 |
| 4.3 | 171.2 | 16.2 | 116.1 | 28.3 | 24.0 | 16.0 | 400.2 |
| 4.4 | 175.2 | 16.6 | 118.8 | 28.9 | 24.6 | 16.4 | 409.5 |
| 4.5 | 179.2 | 16.9 | 121.5 | 29.6 | 25.1 | 16.8 | 418.8 |
| 4.6 | 183.2 | 17.3 | 124.2 | 30.2 | 25.7 | 17.1 | 428.1 |
| 4.7 | 187.2 | 17.7 | 126.8 | 30.9 | 26.2 | 17.5 | 437.4 |
| 4.8 | 191.2 | 18.1 | 129.5 | 31.5 | 26.8 | 17.9 | 446.7 |
| 4.9 | 195.1 | 18.4 | 132.2 | 32.2 | 27.4 | 18.2 | 456.0 |
| 5.0 | 199.1 | 18.8 | 134.9 | 32.9 | 27.9 | 18.6 | 465.3 |

CORN 2

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------------|-------|------|-------|------|------|------|-------|
| M ³ /HA | 3.98 | 1.34 | 2.63 | 1.25 | 0.54 | 0.36 | 9.06 |
| 1.0 | 39.8 | 13.4 | 26.3 | 12.5 | 5.4 | 3.6 | 90.6 |
| 2.0 | 79.7 | 26.8 | 52.5 | 25.1 | 10.9 | 7.2 | 181.2 |
| 2.5 | 99.6 | 33.5 | 65.7 | 31.3 | 13.6 | 9.1 | 226.5 |
| 2.6 | 103.6 | 34.8 | 68.3 | 32.6 | 14.1 | 9.4 | 235.5 |
| 2.7 | 107.5 | 36.2 | 70.9 | 33.8 | 14.7 | 9.8 | 244.6 |
| 2.8 | 111.5 | 37.5 | 73.6 | 35.1 | 15.2 | 10.1 | 253.7 |
| 2.9 | 115.5 | 38.8 | 76.2 | 36.4 | 15.8 | 10.5 | 262.7 |
| 3.0 | 119.5 | 40.2 | 78.8 | 37.6 | 16.3 | 10.9 | 271.8 |
| 3.1 | 123.5 | 41.5 | 81.4 | 38.9 | 16.9 | 11.2 | 280.8 |
| 3.2 | 127.5 | 42.8 | 84.1 | 40.1 | 17.4 | 11.6 | 289.9 |
| 3.3 | 131.4 | 44.2 | 86.7 | 41.4 | 17.9 | 12.0 | 299.0 |
| 3.4 | 135.4 | 45.5 | 89.3 | 42.6 | 18.5 | 12.3 | 308.0 |
| 3.5 | 139.4 | 46.9 | 92.0 | 43.9 | 19.0 | 12.7 | 317.1 |
| 3.6 | 143.4 | 48.2 | 94.6 | 45.1 | 19.6 | 13.0 | 326.1 |
| 3.7 | 147.4 | 49.5 | 97.2 | 46.4 | 20.1 | 13.4 | 335.2 |
| 3.8 | 151.4 | 50.9 | 99.8 | 47.6 | 20.7 | 13.8 | 344.3 |
| 3.9 | 155.3 | 52.2 | 102.5 | 48.9 | 21.2 | 14.1 | 353.3 |
| 4.0 | 159.3 | 53.6 | 105.1 | 50.1 | 21.7 | 14.5 | 362.4 |
| 4.1 | 163.3 | 54.9 | 107.7 | 51.4 | 22.3 | 14.9 | 371.4 |
| 4.2 | 167.3 | 56.2 | 110.3 | 52.6 | 22.8 | 15.2 | 380.5 |
| 4.3 | 171.3 | 57.6 | 113.0 | 53.9 | 23.4 | 15.6 | 389.6 |
| 4.4 | 175.3 | 58.9 | 115.6 | 55.2 | 23.9 | 15.9 | 398.6 |
| 4.5 | 179.2 | 60.3 | 118.2 | 56.4 | 24.5 | 16.3 | 407.7 |
| 4.6 | 183.2 | 61.6 | 120.9 | 57.7 | 25.0 | 16.7 | 416.7 |
| 4.7 | 187.2 | 62.9 | 123.5 | 58.9 | 25.5 | 17.0 | 425.8 |
| 4.8 | 191.2 | 64.3 | 126.1 | 60.2 | 26.1 | 17.4 | 434.9 |
| 4.9 | 195.2 | 65.6 | 128.7 | 61.4 | 26.6 | 17.8 | 443.9 |
| 5.0 | 199.2 | 66.9 | 131.4 | 62.7 | 27.2 | 18.1 | 453.0 |

PHOSPHORUS PRODUCTS

| PMR 1 | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 3.69 | 0.27 | 2.72 | 0.58 | 0.56 | 0.38 | 9.38 |
| 1.0 | 36.9 | 2.7 | 27.2 | 5.8 | 5.6 | 3.8 | 93.8 |
| 2.0 | 73.8 | 5.4 | 54.4 | 11.6 | 11.3 | 7.5 | 187.7 |
| 2.5 | 92.2 | 6.7 | 68.0 | 14.5 | 14.1 | 9.4 | 234.6 |
| 2.6 | 95.9 | 7.0 | 70.8 | 15.1 | 14.6 | 9.8 | 244.0 |
| 2.7 | 99.6 | 7.2 | 73.5 | 15.6 | 15.2 | 10.1 | 253.4 |
| 2.8 | 103.3 | 7.5 | 76.2 | 16.2 | 15.8 | 10.5 | 262.8 |
| 2.9 | 107.0 | 7.8 | 78.9 | 16.8 | 16.3 | 10.9 | 272.2 |
| 3.0 | 110.7 | 8.0 | 81.6 | 17.4 | 16.9 | 11.3 | 281.5 |
| 3.1 | 114.4 | 8.3 | 84.4 | 18.0 | 17.5 | 11.6 | 290.9 |
| 3.2 | 118.1 | 8.6 | 87.1 | 18.5 | 18.0 | 12.0 | 300.3 |
| 3.3 | 121.8 | 8.8 | 89.8 | 19.1 | 18.6 | 12.4 | 309.7 |
| 3.4 | 125.4 | 9.1 | 92.5 | 19.7 | 19.1 | 12.8 | 319.1 |
| 3.5 | 129.1 | 9.4 | 95.3 | 20.3 | 19.7 | 13.1 | 328.5 |
| 3.6 | 132.8 | 9.7 | 98.0 | 20.8 | 20.3 | 13.5 | 337.9 |
| 3.7 | 136.5 | 9.9 | 100.7 | 21.4 | 20.8 | 13.9 | 347.2 |
| 3.8 | 140.2 | 10.2 | 103.4 | 22.0 | 21.4 | 14.3 | 356.6 |
| 3.9 | 143.9 | 10.5 | 106.1 | 22.6 | 22.0 | 14.6 | 366.0 |
| 4.0 | 147.6 | 10.7 | 108.9 | 23.2 | 22.5 | 15.0 | 375.4 |
| 4.1 | 151.3 | 11.0 | 111.6 | 23.7 | 23.1 | 15.4 | 384.8 |
| 4.2 | 155.0 | 11.3 | 114.3 | 24.3 | 23.6 | 15.8 | 394.2 |
| 4.3 | 158.7 | 11.5 | 117.0 | 24.9 | 24.2 | 16.1 | 403.5 |
| 4.4 | 162.3 | 11.8 | 119.7 | 25.5 | 24.8 | 16.5 | 412.9 |
| 4.5 | 166.0 | 12.1 | 122.5 | 26.1 | 25.3 | 16.9 | 422.3 |
| 4.6 | 169.7 | 12.3 | 125.2 | 26.6 | 25.9 | 17.3 | 431.7 |
| 4.7 | 173.4 | 12.6 | 127.9 | 27.2 | 26.5 | 17.6 | 441.1 |
| 4.8 | 177.1 | 12.9 | 130.6 | 27.8 | 27.0 | 18.0 | 450.5 |
| 4.9 | 180.8 | 13.1 | 133.4 | 28.4 | 27.6 | 18.4 | 459.9 |
| 5.0 | 184.5 | 13.4 | 136.1 | 29.0 | 28.2 | 18.8 | 469.2 |

| MKY 170P | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 3.74 | 0.38 | 2.71 | 0.65 | 0.56 | 0.37 | 9.35 |
| 1.0 | 37.4 | 3.8 | 27.1 | 6.5 | 5.6 | 3.7 | 93.5 |
| 2.0 | 74.9 | 7.5 | 54.2 | 13.0 | 11.2 | 7.5 | 187.0 |
| 2.5 | 93.6 | 9.4 | 67.8 | 16.2 | 14.0 | 9.3 | 233.7 |
| 2.6 | 97.3 | 9.8 | 70.5 | 16.9 | 14.6 | 9.7 | 243.0 |
| 2.7 | 101.1 | 10.2 | 73.2 | 17.5 | 15.1 | 10.1 | 252.4 |
| 2.8 | 104.8 | 10.5 | 75.9 | 18.1 | 15.7 | 10.5 | 261.7 |
| 2.9 | 108.5 | 10.9 | 78.6 | 18.8 | 16.3 | 10.8 | 271.1 |
| 3.0 | 112.3 | 11.3 | 81.3 | 19.4 | 16.8 | 11.2 | 280.4 |
| 3.1 | 116.0 | 11.7 | 84.0 | 20.1 | 17.4 | 11.6 | 289.8 |
| 3.2 | 119.8 | 12.0 | 86.7 | 20.7 | 17.9 | 12.0 | 299.1 |
| 3.3 | 123.5 | 12.4 | 89.5 | 21.4 | 18.5 | 12.3 | 308.5 |
| 3.4 | 127.3 | 12.8 | 92.2 | 22.0 | 19.1 | 12.7 | 317.8 |
| 3.5 | 131.0 | 13.2 | 94.9 | 22.7 | 19.6 | 13.1 | 327.2 |
| 3.6 | 134.7 | 13.6 | 97.6 | 23.3 | 20.2 | 13.5 | 336.5 |
| 3.7 | 138.5 | 13.9 | 100.3 | 24.0 | 20.8 | 13.8 | 345.9 |
| 3.8 | 142.2 | 14.3 | 103.0 | 24.6 | 21.3 | 14.2 | 355.2 |
| 3.9 | 146.0 | 14.7 | 105.7 | 25.3 | 21.9 | 14.6 | 364.6 |
| 4.0 | 149.7 | 15.1 | 108.4 | 25.9 | 22.4 | 15.0 | 373.9 |
| 4.1 | 153.4 | 15.4 | 111.1 | 26.6 | 23.0 | 15.3 | 383.3 |
| 4.2 | 157.2 | 15.8 | 113.9 | 27.2 | 23.6 | 15.7 | 392.6 |
| 4.3 | 160.9 | 16.2 | 116.6 | 27.9 | 24.1 | 16.1 | 402.0 |
| 4.4 | 164.7 | 16.6 | 119.3 | 28.5 | 24.7 | 16.5 | 411.3 |
| 4.5 | 168.4 | 16.9 | 122.0 | 29.2 | 25.2 | 16.8 | 420.7 |
| 4.6 | 172.2 | 17.3 | 124.7 | 29.8 | 25.8 | 17.2 | 430.0 |
| 4.7 | 175.9 | 17.7 | 127.4 | 30.5 | 26.4 | 17.6 | 439.4 |
| 4.8 | 179.6 | 18.1 | 130.1 | 31.1 | 26.9 | 17.9 | 448.7 |
| 4.9 | 183.4 | 18.4 | 132.8 | 31.8 | 27.5 | 18.3 | 458.0 |
| 5.0 | 187.1 | 18.8 | 135.5 | 32.4 | 28.0 | 18.7 | 467.4 |

| PMR 2 | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 3.64 | 0.68 | 2.69 | 0.83 | 0.56 | 0.37 | 9.29 |
| 1.0 | 36.4 | 6.8 | 26.9 | 8.3 | 5.6 | 3.7 | 92.9 |
| 2.0 | 72.8 | 13.5 | 53.9 | 16.6 | 11.1 | 7.4 | 185.8 |
| 2.5 | 91.0 | 16.9 | 67.3 | 20.8 | 13.9 | 9.3 | 232.2 |
| 2.6 | 94.7 | 17.6 | 70.0 | 21.6 | 14.5 | 9.7 | 241.5 |
| 2.7 | 98.3 | 18.3 | 72.7 | 22.4 | 15.0 | 10.0 | 250.8 |
| 2.8 | 101.9 | 19.0 | 75.4 | 23.3 | 15.6 | 10.4 | 260.1 |
| 2.9 | 105.6 | 19.6 | 78.1 | 24.1 | 16.2 | 10.8 | 269.4 |
| 3.0 | 109.2 | 20.3 | 80.8 | 24.9 | 16.7 | 11.1 | 278.6 |
| 3.1 | 112.9 | 21.0 | 83.5 | 25.8 | 17.3 | 11.5 | 287.9 |
| 3.2 | 116.5 | 21.7 | 86.2 | 26.6 | 17.8 | 11.9 | 297.2 |
| 3.3 | 120.1 | 22.3 | 88.9 | 27.4 | 18.4 | 12.3 | 306.5 |
| 3.4 | 123.8 | 23.0 | 91.6 | 28.2 | 18.9 | 12.6 | 315.8 |
| 3.5 | 127.4 | 23.7 | 94.3 | 29.1 | 19.5 | 13.0 | 325.1 |
| 3.6 | 131.1 | 24.4 | 97.0 | 29.9 | 20.1 | 13.4 | 334.4 |
| 3.7 | 134.7 | 25.1 | 99.7 | 30.7 | 20.6 | 13.7 | 343.7 |
| 3.8 | 138.3 | 25.7 | 102.4 | 31.6 | 21.2 | 14.1 | 353.0 |
| 3.9 | 142.0 | 26.4 | 105.1 | 32.4 | 21.7 | 14.5 | 362.2 |
| 4.0 | 145.6 | 27.1 | 107.7 | 33.2 | 22.3 | 14.9 | 371.5 |
| 4.1 | 149.3 | 27.8 | 110.4 | 34.1 | 22.8 | 15.2 | 380.8 |
| 4.2 | 152.9 | 28.4 | 113.1 | 34.9 | 23.4 | 15.6 | 390.1 |
| 4.3 | 156.5 | 29.1 | 115.8 | 35.7 | 24.0 | 16.0 | 399.4 |
| 4.4 | 160.2 | 29.8 | 118.5 | 36.6 | 24.5 | 16.3 | 408.7 |
| 4.5 | 163.8 | 30.5 | 121.2 | 37.4 | 25.1 | 16.7 | 418.0 |
| 4.6 | 167.5 | 31.2 | 123.9 | 38.2 | 25.6 | 17.1 | 427.3 |
| 4.7 | 171.1 | 31.8 | 126.6 | 39.0 | 26.2 | 17.5 | 436.5 |
| 4.8 | 174.7 | 32.5 | 129.3 | 39.9 | 26.8 | 17.8 | 445.8 |
| 4.9 | 178.4 | 33.2 | 132.0 | 40.7 | 27.3 | 18.2 | 455.1 |
| 5.0 | 182.0 | 33.9 | 134.7 | 41.5 | 27.9 | 18.6 | 464.4 |

| MKY 160P | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 3.55 | 0.45 | 2.72 | 0.68 | 0.56 | 0.37 | 9.36 |
| 1.0 | 35.5 | 4.5 | 27.2 | 6.8 | 5.6 | 3.7 | 93.6 |
| 2.0 | 71.0 | 8.9 | 54.3 | 13.7 | 11.2 | 7.5 | 187.3 |
| 2.5 | 88.7 | 11.1 | 67.9 | 17.1 | 14.0 | 9.4 | 234.1 |
| 2.6 | 92.3 | 11.6 | 70.6 | 17.8 | 14.6 | 9.7 | 243.4 |
| 2.7 | 95.8 | 12.0 | 73.3 | 18.5 | 15.2 | 10.1 | 252.8 |
| 2.8 | 99.4 | 12.5 | 76.0 | 19.1 | 15.7 | 10.5 | 262.2 |
| 2.9 | 102.9 | 12.9 | 78.7 | 19.8 | 16.3 | 10.9 | 271.5 |
| 3.0 | 106.5 | 13.4 | 81.5 | 20.5 | 16.9 | 11.2 | 280.9 |
| 3.1 | 110.0 | 13.8 | 84.2 | 21.2 | 17.4 | 11.6 | 290.3 |
| 3.2 | 113.6 | 14.3 | 86.9 | 21.9 | 18.0 | 12.0 | 299.6 |
| 3.3 | 117.1 | 14.7 | 89.6 | 22.6 | 18.5 | 12.4 | 309.0 |
| 3.4 | 120.7 | 15.2 | 92.3 | 23.3 | 19.1 | 12.7 | 318.4 |
| 3.5 | 124.2 | 15.6 | 95.0 | 23.9 | 19.7 | 13.1 | 327.7 |
| 3.6 | 127.8 | 16.0 | 97.8 | 24.6 | 20.2 | 13.5 | 337.1 |
| 3.7 | 131.3 | 16.5 | 100.5 | 25.3 | 20.8 | 13.9 | 346.4 |
| 3.8 | 134.9 | 16.9 | 103.2 | 26.0 | 21.3 | 14.2 | 355.8 |
| 3.9 | 138.4 | 17.4 | 105.9 | 26.7 | 21.9 | 14.6 | 365.2 |
| 4.0 | 142.0 | 17.8 | 108.6 | 27.4 | 22.5 | 15.0 | 374.5 |
| 4.1 | 145.5 | 18.3 | 111.3 | 28.0 | 23.0 | 15.4 | 383.9 |
| 4.2 | 149.1 | 18.7 | 114.0 | 28.7 | 23.6 | 15.7 | 393.3 |
| 4.3 | 152.6 | 19.2 | 116.8 | 29.4 | 24.2 | 16.1 | 402.6 |
| 4.4 | 156.2 | 19.6 | 119.5 | 30.1 | 24.7 | 16.5 | 412.0 |
| 4.5 | 159.7 | 20.1 | 122.2 | 30.8 | 25.3 | 16.9 | 421.4 |
| 4.6 | 163.3 | 20.5 | 124.9 | 31.5 | 25.8 | 17.2 | 430.7 |
| 4.7 | 166.8 | 20.9 | 127.6 | 32.1 | 26.4 | 17.6 | 440.1 |
| 4.8 | 170.4 | 21.4 | 130.3 | 32.8 | 27.0 | 18.0 | 449.4 |
| 4.9 | 173.9 | 21.8 | 133.1 | 33.5 | 27.5 | 18.4 | 458.8 |
| 5.0 | 177.5 | 22.3 | 135.8 | 34.2 | 28.1 | 18.7 | 468.2 |

PHOSPHORUS PRODUCTS

QPREPLANT 1

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------------|-------|------|-------|------|------|------|-------|
| M ³ /HA | 3.45 | 0.15 | 2.74 | 0.50 | 0.57 | 0.38 | 9.46 |
| 1.0 | 34.5 | 1.5 | 27.4 | 5.0 | 5.7 | 3.8 | 94.6 |
| 2.0 | 69.0 | 3.1 | 54.8 | 10.0 | 11.3 | 7.6 | 189.1 |
| 2.5 | 86.2 | 3.8 | 68.6 | 12.5 | 14.2 | 9.5 | 236.4 |
| 2.6 | 89.7 | 4.0 | 71.3 | 13.0 | 14.8 | 9.8 | 245.8 |
| 2.7 | 93.1 | 4.2 | 74.0 | 13.5 | 15.3 | 10.2 | 255.3 |
| 2.8 | 96.5 | 4.3 | 76.8 | 14.0 | 15.9 | 10.6 | 264.8 |
| 2.9 | 100.0 | 4.5 | 79.5 | 14.5 | 16.5 | 11.0 | 274.2 |
| 3.0 | 103.4 | 4.6 | 82.3 | 15.0 | 17.0 | 11.3 | 283.7 |
| 3.1 | 106.9 | 4.8 | 85.0 | 15.5 | 17.6 | 11.7 | 293.1 |
| 3.2 | 110.3 | 4.9 | 87.7 | 16.0 | 18.2 | 12.1 | 302.6 |
| 3.3 | 113.8 | 5.1 | 90.5 | 16.5 | 18.7 | 12.5 | 312.0 |
| 3.4 | 117.2 | 5.2 | 93.2 | 17.0 | 19.3 | 12.9 | 321.5 |
| 3.5 | 120.7 | 5.4 | 96.0 | 17.5 | 19.9 | 13.2 | 330.9 |
| 3.6 | 124.1 | 5.5 | 98.7 | 18.0 | 20.4 | 13.6 | 340.4 |
| 3.7 | 127.6 | 5.7 | 101.5 | 18.5 | 21.0 | 14.0 | 349.9 |
| 3.8 | 131.0 | 5.8 | 104.2 | 19.0 | 21.6 | 14.4 | 359.3 |
| 3.9 | 134.5 | 6.0 | 106.9 | 19.5 | 22.1 | 14.8 | 368.8 |
| 4.0 | 137.9 | 6.2 | 109.7 | 20.0 | 22.7 | 15.1 | 378.2 |
| 4.1 | 141.4 | 6.3 | 112.4 | 20.5 | 23.3 | 15.5 | 387.7 |
| 4.2 | 144.8 | 6.5 | 115.2 | 21.0 | 23.8 | 15.9 | 397.1 |
| 4.3 | 148.3 | 6.6 | 117.9 | 21.5 | 24.4 | 16.3 | 406.6 |
| 4.4 | 151.7 | 6.8 | 120.7 | 22.0 | 25.0 | 16.6 | 416.1 |
| 4.5 | 155.2 | 6.9 | 123.4 | 22.5 | 25.5 | 17.0 | 425.5 |
| 4.6 | 158.6 | 7.1 | 126.1 | 23.0 | 26.1 | 17.4 | 435.0 |
| 4.7 | 162.1 | 7.2 | 128.9 | 23.5 | 26.7 | 17.8 | 444.4 |
| 4.8 | 165.5 | 7.4 | 131.6 | 24.0 | 27.2 | 18.2 | 453.9 |
| 4.9 | 169.0 | 7.5 | 134.4 | 24.5 | 27.8 | 18.5 | 463.3 |
| 5.0 | 172.4 | 7.7 | 137.1 | 25.0 | 28.4 | 18.9 | 472.8 |

MKY 150P

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------------|-------|------|-------|------|------|------|-------|
| M ³ /HA | 3.33 | 0.45 | 2.73 | 0.68 | 0.56 | 0.38 | 9.40 |
| 1.0 | 33.3 | 4.5 | 27.3 | 6.8 | 5.6 | 3.8 | 94.0 |
| 2.0 | 66.5 | 9.0 | 54.5 | 13.5 | 11.3 | 7.5 | 188.0 |
| 2.5 | 83.2 | 11.2 | 68.2 | 16.9 | 14.1 | 9.4 | 235.0 |
| 2.6 | 86.5 | 11.7 | 70.9 | 17.6 | 14.7 | 9.8 | 244.4 |
| 2.7 | 89.8 | 12.1 | 73.6 | 18.3 | 15.2 | 10.2 | 253.8 |
| 2.8 | 93.1 | 12.6 | 76.3 | 19.0 | 15.8 | 10.5 | 263.2 |
| 2.9 | 96.5 | 13.0 | 79.1 | 19.6 | 16.4 | 10.9 | 272.6 |
| 3.0 | 99.8 | 13.5 | 81.8 | 20.3 | 16.9 | 11.3 | 282.0 |
| 3.1 | 103.1 | 13.9 | 84.5 | 21.0 | 17.5 | 11.7 | 291.4 |
| 3.2 | 106.5 | 14.4 | 87.2 | 21.7 | 18.0 | 12.0 | 300.8 |
| 3.3 | 109.8 | 14.8 | 90.0 | 22.4 | 18.6 | 12.4 | 310.2 |
| 3.4 | 113.1 | 15.3 | 92.7 | 23.0 | 19.2 | 12.8 | 319.6 |
| 3.5 | 116.4 | 15.7 | 95.4 | 23.7 | 19.7 | 13.2 | 329.0 |
| 3.6 | 119.8 | 16.2 | 98.1 | 24.4 | 20.3 | 13.5 | 338.4 |
| 3.7 | 123.1 | 16.6 | 100.9 | 25.1 | 20.9 | 13.9 | 347.8 |
| 3.8 | 126.4 | 17.1 | 103.6 | 25.7 | 21.4 | 14.3 | 357.2 |
| 3.9 | 129.7 | 17.5 | 106.3 | 26.4 | 22.0 | 14.7 | 366.6 |
| 4.0 | 133.1 | 17.9 | 109.1 | 27.1 | 22.6 | 15.0 | 376.0 |
| 4.1 | 136.4 | 18.4 | 111.8 | 27.8 | 23.1 | 15.4 | 385.4 |
| 4.2 | 139.7 | 18.8 | 114.5 | 28.5 | 23.7 | 15.8 | 394.8 |
| 4.3 | 143.0 | 19.3 | 117.2 | 29.1 | 24.3 | 16.2 | 404.2 |
| 4.4 | 146.4 | 19.7 | 120.0 | 29.8 | 24.8 | 16.5 | 413.6 |
| 4.5 | 149.7 | 20.2 | 122.7 | 30.5 | 25.4 | 16.9 | 423.0 |
| 4.6 | 153.0 | 20.6 | 125.4 | 31.2 | 25.9 | 17.3 | 432.4 |
| 4.7 | 156.4 | 21.1 | 128.1 | 31.8 | 26.5 | 17.7 | 441.8 |
| 4.8 | 159.7 | 21.5 | 130.9 | 32.5 | 27.1 | 18.0 | 451.2 |
| 4.9 | 163.0 | 22.0 | 133.6 | 33.2 | 27.6 | 18.4 | 460.6 |
| 5.0 | 166.3 | 22.4 | 136.3 | 33.9 | 28.2 | 18.8 | 470.0 |

MKY 140P

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------------|-------|------|-------|------|------|------|-------|
| M ³ /HA | 3.33 | 0.28 | 2.74 | 0.57 | 0.57 | 0.38 | 9.44 |
| 1.0 | 33.3 | 2.8 | 27.4 | 5.7 | 5.7 | 3.8 | 94.4 |
| 2.0 | 66.7 | 5.6 | 54.8 | 11.5 | 11.3 | 7.6 | 188.9 |
| 2.5 | 83.3 | 7.0 | 68.5 | 14.3 | 14.2 | 9.4 | 236.1 |
| 2.6 | 86.7 | 7.3 | 71.2 | 14.9 | 14.7 | 9.8 | 245.5 |
| 2.7 | 90.0 | 7.6 | 73.9 | 15.5 | 15.3 | 10.2 | 255.0 |
| 2.8 | 93.3 | 7.8 | 76.7 | 16.1 | 15.9 | 10.6 | 264.4 |
| 2.9 | 96.7 | 8.1 | 79.4 | 16.6 | 16.4 | 11.0 | 273.8 |
| 3.0 | 100.0 | 8.4 | 82.2 | 17.2 | 17.0 | 11.3 | 283.3 |
| 3.1 | 103.3 | 8.7 | 84.9 | 17.8 | 17.6 | 11.7 | 292.7 |
| 3.2 | 106.7 | 9.0 | 87.6 | 18.3 | 18.1 | 12.1 | 302.2 |
| 3.3 | 110.0 | 9.2 | 90.4 | 18.9 | 18.7 | 12.5 | 311.6 |
| 3.4 | 113.3 | 9.5 | 93.1 | 19.5 | 19.3 | 12.8 | 321.1 |
| 3.5 | 116.7 | 9.8 | 95.8 | 20.1 | 19.8 | 13.2 | 330.5 |
| 3.6 | 120.0 | 10.1 | 98.6 | 20.6 | 20.4 | 13.6 | 339.9 |
| 3.7 | 123.3 | 10.4 | 101.3 | 21.2 | 21.0 | 14.0 | 349.4 |
| 3.8 | 126.7 | 10.6 | 104.1 | 21.8 | 21.5 | 14.4 | 358.8 |
| 3.9 | 130.0 | 10.9 | 106.8 | 22.4 | 22.1 | 14.7 | 368.3 |
| 4.0 | 133.3 | 11.2 | 109.5 | 22.9 | 22.7 | 15.1 | 377.7 |
| 4.1 | 136.7 | 11.5 | 112.3 | 23.5 | 23.2 | 15.5 | 387.2 |
| 4.2 | 140.0 | 11.8 | 115.0 | 24.1 | 23.8 | 15.9 | 396.6 |
| 4.3 | 143.3 | 12.1 | 117.8 | 24.7 | 24.4 | 16.2 | 406.0 |
| 4.4 | 146.7 | 12.3 | 120.5 | 25.2 | 24.9 | 16.6 | 415.5 |
| 4.5 | 150.0 | 12.6 | 123.2 | 25.8 | 25.5 | 17.0 | 424.9 |
| 4.6 | 153.3 | 12.9 | 126.0 | 26.4 | 26.1 | 17.4 | 434.4 |
| 4.7 | 156.7 | 13.2 | 128.7 | 26.9 | 26.6 | 17.8 | 443.8 |
| 4.8 | 160.0 | 13.5 | 131.4 | 27.5 | 27.2 | 18.1 | 453.3 |
| 4.9 | 163.3 | 13.7 | 134.2 | 28.1 | 27.8 | 18.5 | 462.7 |
| 5.0 | 166.7 | 14.0 | 136.9 | 28.7 | 28.3 | 18.9 | 472.1 |

MKY 130P

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------------|-------|------|-------|------|------|------|-------|
| M ³ /HA | 2.99 | 0.31 | 2.75 | 0.58 | 0.57 | 0.38 | 9.49 |
| 1.0 | 29.9 | 3.1 | 27.5 | 5.8 | 5.7 | 3.8 | 94.9 |
| 2.0 | 59.9 | 6.2 | 55.1 | 11.6 | 11.4 | 7.6 | 189.9 |
| 2.5 | 74.8 | 7.8 | 68.8 | 14.5 | 14.2 | 9.5 | 237.3 |
| 2.6 | 77.8 | 8.1 | 71.6 | 15.1 | 14.8 | 9.9 | 246.8 |
| 2.7 | 80.8 | 8.4 | 74.3 | 15.6 | 15.4 | 10.3 | 256.3 |
| 2.8 | 83.8 | 8.7 | 77.1 | 16.2 | 15.9 | 10.6 | 265.8 |
| 2.9 | 86.8 | 9.0 | 79.8 | 16.8 | 16.5 | 11.0 | 275.3 |
| 3.0 | 89.8 | 9.3 | 82.6 | 17.4 | 17.1 | 11.4 | 284.8 |
| 3.1 | 92.8 | 9.6 | 85.3 | 18.0 | 17.7 | 11.8 | 294.3 |
| 3.2 | 95.8 | 9.9 | 88.1 | 18.5 | 18.2 | 12.2 | 303.8 |
| 3.3 | 98.8 | 10.2 | 90.9 | 19.1 | 18.8 | 12.5 | 313.3 |
| 3.4 | 101.8 | 10.6 | 93.6 | 19.7 | 19.4 | 12.9 | 322.8 |
| 3.5 | 104.8 | 10.9 | 96.4 | 20.3 | 19.9 | 13.3 | 332.3 |
| 3.6 | 107.8 | 11.2 | 99.1 | 20.9 | 20.5 | 13.7 | 341.8 |
| 3.7 | 110.8 | 11.5 | 101.9 | 21.4 | 21.1 | 14.1 | 351.3 |
| 3.8 | 113.7 | 11.8 | 104.6 | 22.0 | 21.6 | 14.4 | 360.8 |
| 3.9 | 116.7 | 12.1 | 107.4 | 22.6 | 22.2 | 14.8 | 370.3 |
| 4.0 | 119.7 | 12.4 | 110.1 | 23.2 | 22.8 | 15.2 | 379.8 |
| 4.1 | 122.7 | 12.7 | 112.9 | 23.8 | 23.4 | 15.6 | 389.2 |
| 4.2 | 125.7 | 13.0 | 115.6 | 24.3 | 23.9 | 15.9 | 398.7 |
| 4.3 | 128.7 | 13.3 | 118.4 | 24.9 | 24.5 | 16.3 | 408.2 |
| 4.4 | 131.7 | 13.7 | 121.1 | 25.5 | 25.1 | 16.7 | 417.7 |
| 4.5 | 134.7 | 14.0 | 123.9 | 26.1 | 25.6 | 17.1 | 427.2 |
| 4.6 | 137.7 | 14.3 | 126.6 | 26.6 | 26.2 | 17.5 | 436.7 |
| 4.7 | 140.7 | 14.6 | 129.4 | 27.2 | 26.8 | 17.8 | 446.2 |
| 4.8 | 143.7 | 14.9 | 132.2 | 27.8 | 27.3 | 18.2 | 455.7 |
| 4.9 | 146.7 | 15.2 | 134.9 | 28.4 | 27.9 | 18.6 | 465.2 |
| 5.0 | 149.7 | 15.5 | 137.7 | 29.0 | 28.5 | 19.0 | 474.7 |

PHOSPHORUS PRODUCTS

| SUNFLOWER 1 | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 2.78 | 0.84 | 2.72 | 0.90 | 0.56 | 0.38 | 9.40 |
| 1.0 | 27.8 | 8.4 | 27.2 | 9.0 | 5.6 | 3.8 | 94.0 |
| 2.0 | 55.6 | 16.7 | 54.5 | 17.9 | 11.3 | 7.5 | 187.9 |
| 2.5 | 69.5 | 20.9 | 68.1 | 22.4 | 14.1 | 9.4 | 234.9 |
| 2.6 | 72.3 | 21.8 | 70.8 | 23.3 | 14.7 | 9.8 | 244.3 |
| 2.7 | 75.0 | 22.6 | 73.6 | 24.2 | 15.2 | 10.1 | 253.7 |
| 2.8 | 77.8 | 23.4 | 76.3 | 25.1 | 15.8 | 10.5 | 263.1 |
| 2.9 | 80.6 | 24.3 | 79.0 | 26.0 | 16.3 | 10.9 | 272.5 |
| 3.0 | 83.4 | 25.1 | 81.7 | 26.9 | 16.9 | 11.3 | 281.9 |
| 3.1 | 86.2 | 25.9 | 84.5 | 27.8 | 17.5 | 11.7 | 291.3 |
| 3.2 | 88.9 | 26.8 | 87.2 | 28.7 | 18.0 | 12.0 | 300.7 |
| 3.3 | 91.7 | 27.6 | 89.9 | 29.6 | 18.6 | 12.4 | 310.1 |
| 3.4 | 94.5 | 28.5 | 92.6 | 30.5 | 19.2 | 12.8 | 319.4 |
| 3.5 | 97.3 | 29.3 | 95.4 | 31.4 | 19.7 | 13.2 | 328.8 |
| 3.6 | 100.1 | 30.1 | 98.1 | 32.3 | 20.3 | 13.5 | 338.2 |
| 3.7 | 102.8 | 31.0 | 100.8 | 33.2 | 20.9 | 13.9 | 347.6 |
| 3.8 | 105.6 | 31.8 | 103.5 | 34.1 | 21.4 | 14.3 | 357.0 |
| 3.9 | 108.4 | 32.6 | 106.3 | 35.0 | 22.0 | 14.7 | 366.4 |
| 4.0 | 111.2 | 33.5 | 109.0 | 35.9 | 22.5 | 15.0 | 375.8 |
| 4.1 | 114.0 | 34.3 | 111.7 | 36.8 | 23.1 | 15.4 | 385.2 |
| 4.2 | 116.7 | 35.1 | 114.4 | 37.7 | 23.7 | 15.8 | 394.6 |
| 4.3 | 119.5 | 36.0 | 117.2 | 38.6 | 24.2 | 16.2 | 404.0 |
| 4.4 | 122.3 | 36.8 | 119.9 | 39.5 | 24.8 | 16.5 | 413.4 |
| 4.5 | 125.1 | 37.7 | 122.6 | 40.4 | 25.4 | 16.9 | 422.8 |
| 4.6 | 127.9 | 38.5 | 125.3 | 41.3 | 25.9 | 17.3 | 432.2 |
| 4.7 | 130.6 | 39.3 | 128.1 | 42.2 | 26.5 | 17.7 | 441.6 |
| 4.8 | 133.4 | 40.2 | 130.8 | 43.1 | 27.1 | 18.0 | 451.0 |
| 4.9 | 136.2 | 41.0 | 133.5 | 44.0 | 27.6 | 18.4 | 460.4 |
| 5.0 | 139.0 | 41.8 | 136.2 | 44.9 | 28.2 | 18.8 | 469.8 |

| COMET 3 | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 3.35 | 1.00 | 2.68 | 1.02 | 0.56 | 0.37 | 9.26 |
| 1.0 | 33.5 | 10.0 | 26.8 | 10.2 | 5.6 | 3.7 | 92.6 |
| 2.0 | 66.9 | 20.0 | 53.7 | 20.4 | 11.1 | 7.4 | 185.1 |
| 2.5 | 83.6 | 25.0 | 67.1 | 25.5 | 13.9 | 9.3 | 231.4 |
| 2.6 | 87.0 | 26.0 | 69.8 | 26.5 | 14.4 | 9.6 | 240.7 |
| 2.7 | 90.3 | 27.0 | 72.5 | 27.5 | 15.0 | 10.0 | 249.9 |
| 2.8 | 93.7 | 28.0 | 75.2 | 28.5 | 15.6 | 10.4 | 259.2 |
| 2.9 | 97.0 | 29.0 | 77.8 | 29.6 | 16.1 | 10.7 | 268.4 |
| 3.0 | 100.4 | 30.0 | 80.5 | 30.6 | 16.7 | 11.1 | 277.7 |
| 3.1 | 103.7 | 31.0 | 83.2 | 31.6 | 17.2 | 11.5 | 286.9 |
| 3.2 | 107.1 | 32.0 | 85.9 | 32.6 | 17.8 | 11.8 | 296.2 |
| 3.3 | 110.4 | 33.0 | 88.6 | 33.6 | 18.3 | 12.2 | 305.5 |
| 3.4 | 113.7 | 34.0 | 91.3 | 34.7 | 18.9 | 12.6 | 314.7 |
| 3.5 | 117.1 | 35.0 | 94.0 | 35.7 | 19.4 | 13.0 | 324.0 |
| 3.6 | 120.4 | 36.0 | 96.6 | 36.7 | 20.0 | 13.3 | 333.2 |
| 3.7 | 123.8 | 37.0 | 99.3 | 37.7 | 20.5 | 13.7 | 342.5 |
| 3.8 | 127.1 | 38.0 | 102.0 | 38.7 | 21.1 | 14.1 | 351.7 |
| 3.9 | 130.5 | 39.0 | 104.7 | 39.7 | 21.7 | 14.4 | 361.0 |
| 4.0 | 133.8 | 40.0 | 107.4 | 40.8 | 22.2 | 14.8 | 370.3 |
| 4.1 | 137.2 | 41.0 | 110.1 | 41.8 | 22.8 | 15.2 | 379.5 |
| 4.2 | 140.5 | 42.0 | 112.7 | 42.8 | 23.3 | 15.6 | 388.8 |
| 4.3 | 143.9 | 43.0 | 115.4 | 43.8 | 23.9 | 15.9 | 398.0 |
| 4.4 | 147.2 | 44.0 | 118.1 | 44.8 | 24.4 | 16.3 | 407.3 |
| 4.5 | 150.5 | 45.0 | 120.8 | 45.9 | 25.0 | 16.7 | 416.5 |
| 4.6 | 153.9 | 46.0 | 123.5 | 46.9 | 25.5 | 17.0 | 425.8 |
| 4.7 | 157.2 | 47.0 | 126.2 | 47.9 | 26.1 | 17.4 | 435.1 |
| 4.8 | 160.6 | 48.0 | 128.8 | 48.9 | 26.7 | 17.8 | 444.3 |
| 4.9 | 163.9 | 49.0 | 131.5 | 49.9 | 27.2 | 18.1 | 453.6 |
| 5.0 | 167.3 | 50.0 | 134.2 | 51.0 | 27.8 | 18.5 | 462.8 |

| MKY 120P | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 2.65 | 0.36 | 2.77 | 0.60 | 0.57 | 0.38 | 9.54 |
| 1.0 | 26.5 | 3.6 | 27.7 | 6.0 | 5.7 | 3.8 | 95.4 |
| 2.0 | 53.1 | 7.2 | 55.3 | 11.9 | 11.4 | 7.6 | 190.8 |
| 2.5 | 66.4 | 9.0 | 69.2 | 14.9 | 14.3 | 9.5 | 238.5 |
| 2.6 | 69.0 | 9.3 | 71.9 | 15.5 | 14.9 | 9.9 | 248.0 |
| 2.7 | 71.7 | 9.7 | 74.7 | 16.1 | 15.5 | 10.3 | 257.6 |
| 2.8 | 74.3 | 10.0 | 77.5 | 16.7 | 16.0 | 10.7 | 267.1 |
| 2.9 | 77.0 | 10.4 | 80.2 | 17.3 | 16.6 | 11.1 | 276.7 |
| 3.0 | 79.6 | 10.8 | 83.0 | 17.9 | 17.2 | 11.4 | 286.2 |
| 3.1 | 82.3 | 11.1 | 85.8 | 18.5 | 17.7 | 11.8 | 295.7 |
| 3.2 | 85.0 | 11.5 | 88.5 | 19.1 | 18.3 | 12.2 | 305.3 |
| 3.3 | 87.6 | 11.8 | 91.3 | 19.7 | 18.9 | 12.6 | 314.8 |
| 3.4 | 90.3 | 12.2 | 94.1 | 20.3 | 19.5 | 13.0 | 324.3 |
| 3.5 | 92.9 | 12.5 | 96.8 | 20.9 | 20.0 | 13.4 | 333.9 |
| 3.6 | 95.6 | 12.9 | 99.6 | 21.5 | 20.6 | 13.7 | 343.4 |
| 3.7 | 98.2 | 13.3 | 102.4 | 22.1 | 21.2 | 14.1 | 353.0 |
| 3.8 | 100.9 | 13.6 | 105.1 | 22.7 | 21.8 | 14.5 | 362.5 |
| 3.9 | 103.5 | 14.0 | 107.9 | 23.3 | 22.3 | 14.9 | 372.0 |
| 4.0 | 106.2 | 14.3 | 110.7 | 23.9 | 22.9 | 15.3 | 381.6 |
| 4.1 | 108.8 | 14.7 | 113.4 | 24.5 | 23.5 | 15.6 | 391.1 |
| 4.2 | 111.5 | 15.1 | 116.2 | 25.1 | 24.0 | 16.0 | 400.7 |
| 4.3 | 114.2 | 15.4 | 119.0 | 25.6 | 24.6 | 16.4 | 410.2 |
| 4.4 | 116.8 | 15.8 | 121.7 | 26.2 | 25.2 | 16.8 | 419.7 |
| 4.5 | 119.5 | 16.1 | 124.5 | 26.8 | 25.8 | 17.2 | 429.3 |
| 4.6 | 122.1 | 16.5 | 127.3 | 27.4 | 26.3 | 17.6 | 438.8 |
| 4.7 | 124.8 | 16.9 | 130.0 | 28.0 | 26.9 | 17.9 | 448.4 |
| 4.8 | 127.4 | 17.2 | 132.8 | 28.6 | 27.5 | 18.3 | 457.9 |
| 4.9 | 130.1 | 17.6 | 135.6 | 29.2 | 28.0 | 18.7 | 467.4 |
| 5.0 | 132.7 | 17.9 | 138.3 | 29.8 | 28.6 | 19.1 | 477.0 |

| LUCERNE | | | | | | | |
|--------------------|-------|------|-------|------|------|------|-------|
| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
| M ³ /HA | 2.33 | 0.68 | 2.76 | 0.78 | 0.57 | 0.38 | 9.51 |
| 1.0 | 23.3 | 6.8 | 27.6 | 7.8 | 5.7 | 3.8 | 95.1 |
| 2.0 | 46.6 | 13.5 | 55.2 | 15.6 | 11.4 | 7.6 | 190.3 |
| 2.5 | 58.2 | 16.9 | 69.0 | 19.5 | 14.3 | 9.5 | 237.8 |
| 2.6 | 60.5 | 17.6 | 71.7 | 20.3 | 14.8 | 9.9 | 247.4 |
| 2.7 | 62.9 | 18.3 | 74.5 | 21.1 | 15.4 | 10.3 | 256.9 |
| 2.8 | 65.2 | 19.0 | 77.3 | 21.9 | 16.0 | 10.7 | 266.4 |
| 2.9 | 67.5 | 19.6 | 80.0 | 22.7 | 16.6 | 11.0 | 275.9 |
| 3.0 | 69.9 | 20.3 | 82.8 | 23.5 | 17.1 | 11.4 | 285.4 |
| 3.1 | 72.2 | 21.0 | 85.5 | 24.2 | 17.7 | 11.8 | 294.9 |
| 3.2 | 74.5 | 21.7 | 88.3 | 25.0 | 18.3 | 12.2 | 304.4 |
| 3.3 | 76.9 | 22.4 | 91.0 | 25.8 | 18.8 | 12.6 | 314.0 |
| 3.4 | 79.2 | 23.0 | 93.8 | 26.6 | 19.4 | 12.9 | 323.5 |
| 3.5 | 81.5 | 23.7 | 96.6 | 27.4 | 20.0 | 13.3 | 333.0 |
| 3.6 | 83.8 | 24.4 | 99.3 | 28.1 | 20.6 | 13.7 | 342.5 |
| 3.7 | 86.2 | 25.1 | 102.1 | 28.9 | 21.1 | 14.1 | 352.0 |
| 3.8 | 88.5 | 25.7 | 104.8 | 29.7 | 21.7 | 14.5 | 361.5 |
| 3.9 | 90.8 | 26.4 | 107.6 | 30.5 | 22.3 | 14.8 | 371.0 |
| 4.0 | 93.2 | 27.1 | 110.4 | 31.3 | 22.8 | 15.2 | 380.6 |
| 4.1 | 95.5 | 27.8 | 113.1 | 32.1 | 23.4 | 15.6 | 390.1 |
| 4.2 | 97.8 | 28.5 | 115.9 | 32.8 | 24.0 | 16.0 | 399.6 |
| 4.3 | 100.1 | 29.1 | 118.6 | 33.6 | 24.5 | 16.4 | 409.1 |
| 4.4 | 102.5 | 29.8 | 121.4 | 34.4 | 25.1 | 16.7 | 418.6 |
| 4.5 | 104.8 | 30.5 | 124.2 | 35.2 | 25.7 | 17.1 | 428.1 |
| 4.6 | 107.1 | 31.2 | 126.9 | 36.0 | 26.3 | 17.5 | 437.6 |
| 4.7 | 109.5 | 31.8 | 129.7 | 36.7 | 26.8 | 17.9 | 447.2 |
| 4.8 | 111.8 | 32.5 | 132.4 | 37.5 | 27.4 | 18.3 | 456.7 |
| 4.9 | 114.1 | 33.2 | 135.2 | 38.3 | 28.0 | 18.6 | 466.2 |
| 5.0 | 116.4 | 33.9 | 138.0 | 39.1 | 28.5 | 19.0 | 475.7 |

PHOSPHORUS PRODUCTS

PUMPKIN 1

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| M3/HA | 2.06 | 1.78 | 2.69 | 1.46 | 0.56 | 0.37 | 9.28 |
| 1.0 | 20.6 | 17.8 | 26.9 | 14.6 | 5.6 | 3.7 | 92.8 |
| 2.0 | 41.2 | 35.6 | 53.8 | 29.1 | 11.1 | 7.4 | 185.5 |
| 2.5 | 51.5 | 44.5 | 67.3 | 36.4 | 13.9 | 9.3 | 231.9 |
| 2.6 | 53.5 | 46.3 | 69.9 | 37.8 | 14.5 | 9.6 | 241.2 |
| 2.7 | 55.6 | 48.1 | 72.6 | 39.3 | 15.0 | 10.0 | 250.5 |
| 2.8 | 57.6 | 49.9 | 75.3 | 40.8 | 15.6 | 10.4 | 259.8 |
| 2.9 | 59.7 | 51.7 | 78.0 | 42.2 | 16.1 | 10.8 | 269.0 |
| 3.0 | 61.8 | 53.4 | 80.7 | 43.7 | 16.7 | 11.1 | 278.3 |
| 3.1 | 63.8 | 55.2 | 83.4 | 45.1 | 17.3 | 11.5 | 287.6 |
| 3.2 | 65.9 | 57.0 | 86.1 | 46.6 | 17.8 | 11.9 | 296.9 |
| 3.3 | 67.9 | 58.8 | 88.8 | 48.0 | 18.4 | 12.2 | 306.1 |
| 3.4 | 70.0 | 60.6 | 91.5 | 49.5 | 18.9 | 12.6 | 315.4 |
| 3.5 | 72.1 | 62.4 | 94.2 | 50.9 | 19.5 | 13.0 | 324.7 |
| 3.6 | 74.1 | 64.1 | 96.9 | 52.4 | 20.0 | 13.4 | 334.0 |
| 3.7 | 76.2 | 65.9 | 99.5 | 53.9 | 20.6 | 13.7 | 343.3 |
| 3.8 | 78.2 | 67.7 | 102.2 | 55.3 | 21.2 | 14.1 | 352.5 |
| 3.9 | 80.3 | 69.5 | 104.9 | 56.8 | 21.7 | 14.5 | 361.8 |
| 4.0 | 82.4 | 71.3 | 107.6 | 58.2 | 22.3 | 14.8 | 371.1 |
| 4.1 | 84.4 | 73.0 | 110.3 | 59.7 | 22.8 | 15.2 | 380.4 |
| 4.2 | 86.5 | 74.8 | 113.0 | 61.1 | 23.4 | 15.6 | 389.6 |
| 4.3 | 88.5 | 76.6 | 115.7 | 62.6 | 23.9 | 16.0 | 398.9 |
| 4.4 | 90.6 | 78.4 | 118.4 | 64.1 | 24.5 | 16.3 | 408.2 |
| 4.5 | 92.6 | 80.2 | 121.1 | 65.5 | 25.0 | 16.7 | 417.5 |
| 4.6 | 94.7 | 81.9 | 123.8 | 67.0 | 25.6 | 17.1 | 426.7 |
| 4.7 | 96.8 | 83.7 | 126.4 | 68.4 | 26.2 | 17.4 | 436.0 |
| 4.8 | 98.8 | 85.5 | 129.1 | 69.9 | 26.7 | 17.8 | 445.3 |
| 4.9 | 100.9 | 87.3 | 131.8 | 71.3 | 27.3 | 18.2 | 454.6 |
| 5.0 | 102.9 | 89.1 | 134.5 | 72.8 | 27.8 | 18.6 | 463.9 |

HALL 2

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| M3/HA | 1.67 | 1.34 | 2.74 | 1.17 | 0.57 | 0.38 | 9.46 |
| 1.0 | 16.7 | 13.4 | 27.4 | 11.7 | 5.7 | 3.8 | 94.6 |
| 2.0 | 33.4 | 26.8 | 54.9 | 23.3 | 11.3 | 7.6 | 189.2 |
| 2.5 | 41.7 | 33.5 | 68.6 | 29.2 | 14.2 | 9.5 | 236.4 |
| 2.6 | 43.4 | 34.8 | 71.3 | 30.3 | 14.8 | 9.8 | 245.9 |
| 2.7 | 45.1 | 36.2 | 74.1 | 31.5 | 15.3 | 10.2 | 255.4 |
| 2.8 | 46.8 | 37.5 | 76.8 | 32.7 | 15.9 | 10.6 | 264.8 |
| 2.9 | 48.4 | 38.8 | 79.5 | 33.9 | 16.5 | 11.0 | 274.3 |
| 3.0 | 50.1 | 40.2 | 82.3 | 35.0 | 17.0 | 11.3 | 283.7 |
| 3.1 | 51.8 | 41.5 | 85.0 | 36.2 | 17.6 | 11.7 | 293.2 |
| 3.2 | 53.4 | 42.9 | 87.8 | 37.4 | 18.2 | 12.1 | 302.6 |
| 3.3 | 55.1 | 44.2 | 90.5 | 38.5 | 18.7 | 12.5 | 312.1 |
| 3.4 | 56.8 | 45.5 | 93.3 | 39.7 | 19.3 | 12.9 | 321.6 |
| 3.5 | 58.4 | 46.9 | 96.0 | 40.9 | 19.9 | 13.2 | 331.0 |
| 3.6 | 60.1 | 48.2 | 98.7 | 42.0 | 20.4 | 13.6 | 340.5 |
| 3.7 | 61.8 | 49.6 | 101.5 | 43.2 | 21.0 | 14.0 | 349.9 |
| 3.8 | 63.5 | 50.9 | 104.2 | 44.4 | 21.6 | 14.4 | 359.4 |
| 3.9 | 65.1 | 52.2 | 107.0 | 45.5 | 22.1 | 14.8 | 368.8 |
| 4.0 | 66.8 | 53.6 | 109.7 | 46.7 | 22.7 | 15.1 | 378.3 |
| 4.1 | 68.5 | 54.9 | 112.5 | 47.9 | 23.3 | 15.5 | 387.8 |
| 4.2 | 70.1 | 56.3 | 115.2 | 49.0 | 23.8 | 15.9 | 397.2 |
| 4.3 | 71.8 | 57.6 | 117.9 | 50.2 | 24.4 | 16.3 | 406.7 |
| 4.4 | 73.5 | 58.9 | 120.7 | 51.4 | 25.0 | 16.6 | 416.1 |
| 4.5 | 75.1 | 60.3 | 123.4 | 52.5 | 25.5 | 17.0 | 425.6 |
| 4.6 | 76.8 | 61.6 | 126.2 | 53.7 | 26.1 | 17.4 | 435.0 |
| 4.7 | 78.5 | 62.9 | 128.9 | 54.9 | 26.7 | 17.8 | 444.5 |
| 4.8 | 80.1 | 64.3 | 131.6 | 56.0 | 27.2 | 18.2 | 454.0 |
| 4.9 | 81.8 | 65.6 | 134.4 | 57.2 | 27.8 | 18.5 | 463.4 |
| 5.0 | 83.5 | 67.0 | 137.1 | 58.4 | 28.4 | 18.9 | 472.9 |

COMPANION 2

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| M3/HA | 1.27 | 0.89 | 2.80 | 0.87 | 0.58 | 0.39 | 9.64 |
| 1.0 | 12.7 | 8.9 | 28.0 | 8.7 | 5.8 | 3.9 | 96.4 |
| 2.0 | 25.5 | 17.8 | 55.9 | 17.5 | 11.6 | 7.7 | 192.8 |
| 2.5 | 31.8 | 22.2 | 69.9 | 21.8 | 14.5 | 9.6 | 241.0 |
| 2.6 | 33.1 | 23.1 | 72.7 | 22.7 | 15.0 | 10.0 | 250.7 |
| 2.7 | 34.4 | 24.0 | 75.5 | 23.6 | 15.6 | 10.4 | 260.3 |
| 2.8 | 35.6 | 24.9 | 78.3 | 24.4 | 16.2 | 10.8 | 270.0 |
| 2.9 | 36.9 | 25.8 | 81.1 | 25.3 | 16.8 | 11.2 | 279.6 |
| 3.0 | 38.2 | 26.6 | 83.9 | 26.2 | 17.4 | 11.6 | 289.2 |
| 3.1 | 39.5 | 27.5 | 86.7 | 27.1 | 17.9 | 12.0 | 298.9 |
| 3.2 | 40.7 | 28.4 | 89.5 | 27.9 | 18.5 | 12.3 | 308.5 |
| 3.3 | 42.0 | 29.3 | 92.3 | 28.8 | 19.1 | 12.7 | 318.2 |
| 3.4 | 43.3 | 30.2 | 95.1 | 29.7 | 19.7 | 13.1 | 327.8 |
| 3.5 | 44.5 | 31.1 | 97.9 | 30.6 | 20.2 | 13.5 | 337.5 |
| 3.6 | 45.8 | 32.0 | 100.7 | 31.4 | 20.8 | 13.9 | 347.1 |
| 3.7 | 47.1 | 32.9 | 103.5 | 32.3 | 21.4 | 14.3 | 356.7 |
| 3.8 | 48.4 | 33.8 | 106.3 | 33.2 | 22.0 | 14.7 | 366.4 |
| 3.9 | 49.6 | 34.6 | 109.0 | 34.0 | 22.6 | 15.0 | 376.0 |
| 4.0 | 50.9 | 35.5 | 111.8 | 34.9 | 23.1 | 15.4 | 385.7 |
| 4.1 | 52.2 | 36.4 | 114.6 | 35.8 | 23.7 | 15.8 | 395.3 |
| 4.2 | 53.5 | 37.3 | 117.4 | 36.7 | 24.3 | 16.2 | 404.9 |
| 4.3 | 54.7 | 38.2 | 120.2 | 37.5 | 24.9 | 16.6 | 414.6 |
| 4.4 | 56.0 | 39.1 | 123.0 | 38.4 | 25.5 | 17.0 | 424.2 |
| 4.5 | 57.3 | 40.0 | 125.8 | 39.3 | 26.0 | 17.4 | 433.9 |
| 4.6 | 58.5 | 40.9 | 128.6 | 40.2 | 26.6 | 17.7 | 443.5 |
| 4.7 | 59.8 | 41.7 | 131.4 | 41.0 | 27.2 | 18.1 | 453.2 |
| 4.8 | 61.1 | 42.6 | 134.2 | 41.9 | 27.8 | 18.5 | 462.8 |
| 4.9 | 62.4 | 43.5 | 137.0 | 42.8 | 28.3 | 18.9 | 472.4 |
| 5.0 | 63.6 | 44.4 | 139.8 | 43.6 | 28.9 | 19.3 | 482.1 |

LO P PLANTER

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| M3/HA | 0.54 | 0.06 | 2.89 | 0.33 | 0.60 | 0.40 | 9.98 |
| 1.0 | 5.4 | 0.6 | 28.9 | 3.3 | 6.0 | 4.0 | 99.8 |
| 2.0 | 10.9 | 1.2 | 57.9 | 6.7 | 12.0 | 8.0 | 199.6 |
| 2.5 | 13.6 | 1.5 | 72.3 | 8.3 | 15.0 | 10.0 | 249.5 |
| 2.6 | 14.2 | 1.6 | 75.2 | 8.7 | 15.6 | 10.4 | 259.5 |
| 2.7 | 14.7 | 1.7 | 78.1 | 9.0 | 16.2 | 10.8 | 269.4 |
| 2.8 | 15.3 | 1.7 | 81.0 | 9.3 | 16.8 | 11.2 | 279.4 |
| 2.9 | 15.8 | 1.8 | 83.9 | 9.7 | 17.4 | 11.6 | 289.4 |
| 3.0 | 16.3 | 1.8 | 86.8 | 10.0 | 18.0 | 12.0 | 299.4 |
| 3.1 | 16.9 | 1.9 | 89.7 | 10.3 | 18.6 | 12.4 | 309.4 |
| 3.2 | 17.4 | 2.0 | 92.6 | 10.7 | 19.2 | 12.8 | 319.3 |
| 3.3 | 18.0 | 2.0 | 95.5 | 11.0 | 19.8 | 13.2 | 329.3 |
| 3.4 | 18.5 | 2.1 | 98.4 | 11.3 | 20.4 | 13.6 | 339.3 |
| 3.5 | 19.1 | 2.1 | 101.3 | 11.7 | 21.0 | 14.0 | 349.3 |
| 3.6 | 19.6 | 2.2 | 104.2 | 12.0 | 21.6 | 14.4 | 359.2 |
| 3.7 | 20.2 | 2.3 | 107.1 | 12.3 | 22.2 | 14.8 | 369.2 |
| 3.8 | 20.7 | 2.3 | 110.0 | 12.7 | 22.8 | 15.2 | 379.2 |
| 3.9 | 21.3 | 2.4 | 112.9 | 13.0 | 23.4 | 15.6 | 389.2 |
| 4.0 | 21.8 | 2.4 | 115.8 | 13.3 | 23.9 | 16.0 | 399.2 |
| 4.1 | 22.3 | 2.5 | 118.7 | 13.7 | 24.5 | 16.4 | 409.1 |
| 4.2 | 22.9 | 2.6 | 121.5 | 14.0 | 25.1 | 16.8 | 419.1 |
| 4.3 | 23.4 | 2.6 | 124.4 | 14.3 | 25.7 | 17.2 | 429.1 |
| 4.4 | 24.0 | 2.7 | 127.3 | 14.7 | 26.3 | 17.6 | 439.1 |
| 4.5 | 24.5 | 2.8 | 130.2 | 15.0 | 26.9 | 18.0 | 449.1 |
| 4.6 | 25.1 | 2.8 | 133.1 | 15.3 | 27.5 | 18.4 | 459.0 |
| 4.7 | 25.6 | 2.9 | 136.0 | 15.7 | 28.1 | 18.8 | 469.0 |
| 4.8 | 26.2 | 2.9 | 138.9 | 16.0 | 28.7 | 19.2 | 479.0 |
| 4.9 | 26.7 | 3.0 | 141.8 | 16.3 | 29.3 | 19.6 | 489.0 |
| 5.0 | 27.2 | 3.1 | 144.7 | 16.7 | 29.9 | 20.0 | 499.0 |

PHOSPHORUS PRODUCTS

SOY STARTER

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| M3/HA | 0.80 | 0.35 | 2.86 | 0.52 | 0.59 | 0.39 | 9.86 |
| 1.0 | 8.0 | 3.5 | 28.6 | 5.2 | 5.9 | 3.9 | 98.6 |
| 2.0 | 16.0 | 7.1 | 57.2 | 10.5 | 11.8 | 7.9 | 197.2 |
| 2.5 | 20.0 | 8.8 | 71.5 | 13.1 | 14.8 | 9.9 | 246.5 |
| 2.6 | 20.8 | 9.2 | 74.3 | 13.6 | 15.4 | 10.3 | 256.4 |
| 2.7 | 21.6 | 9.5 | 77.2 | 14.1 | 16.0 | 10.6 | 266.2 |
| 2.8 | 22.4 | 9.9 | 80.1 | 14.7 | 16.6 | 11.0 | 276.1 |
| 2.9 | 23.2 | 10.2 | 82.9 | 15.2 | 17.2 | 11.4 | 285.9 |
| 3.0 | 24.1 | 10.6 | 85.8 | 15.7 | 17.7 | 11.8 | 295.8 |
| 3.1 | 24.9 | 10.9 | 88.6 | 16.2 | 18.3 | 12.2 | 305.7 |
| 3.2 | 25.7 | 11.3 | 91.5 | 16.8 | 18.9 | 12.6 | 315.5 |
| 3.3 | 26.5 | 11.6 | 94.4 | 17.3 | 19.5 | 13.0 | 325.4 |
| 3.4 | 27.3 | 12.0 | 97.2 | 17.8 | 20.1 | 13.4 | 335.2 |
| 3.5 | 28.1 | 12.4 | 100.1 | 18.3 | 20.7 | 13.8 | 345.1 |
| 3.6 | 28.9 | 12.7 | 102.9 | 18.9 | 21.3 | 14.2 | 355.0 |
| 3.7 | 29.7 | 13.1 | 105.8 | 19.4 | 21.9 | 14.6 | 364.8 |
| 3.8 | 30.5 | 13.4 | 108.7 | 19.9 | 22.5 | 15.0 | 374.7 |
| 3.9 | 31.3 | 13.8 | 111.5 | 20.4 | 23.1 | 15.4 | 384.5 |
| 4.0 | 32.1 | 14.1 | 114.4 | 20.9 | 23.7 | 15.8 | 394.4 |
| 4.1 | 32.9 | 14.5 | 117.2 | 21.5 | 24.3 | 16.2 | 404.3 |
| 4.2 | 33.7 | 14.8 | 120.1 | 22.0 | 24.8 | 16.6 | 414.1 |
| 4.3 | 34.5 | 15.2 | 123.0 | 22.5 | 25.4 | 17.0 | 424.0 |
| 4.4 | 35.3 | 15.5 | 125.8 | 23.0 | 26.0 | 17.4 | 433.8 |
| 4.5 | 36.1 | 15.9 | 128.7 | 23.6 | 26.6 | 17.7 | 443.7 |
| 4.6 | 36.9 | 16.2 | 131.5 | 24.1 | 27.2 | 18.1 | 453.6 |
| 4.7 | 37.7 | 16.6 | 134.4 | 24.6 | 27.8 | 18.5 | 463.4 |
| 4.8 | 38.5 | 16.9 | 137.3 | 25.1 | 28.4 | 18.9 | 473.3 |
| 4.9 | 39.3 | 17.3 | 140.1 | 25.7 | 29.0 | 19.3 | 483.1 |
| 5.0 | 40.1 | 17.6 | 143.0 | 26.2 | 29.6 | 19.7 | 493.0 |

BKN LO P

| RATE | N% | P% | K% | S% | Ca% | Mg% | OC% |
|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| M3/HA | 7.65 | 0.35 | 2.52 | 0.78 | 0.52 | 0.35 | 8.68 |
| 1.0 | 76.5 | 3.5 | 25.2 | 7.8 | 5.2 | 3.5 | 86.8 |
| 2.0 | 152.9 | 7.1 | 50.4 | 15.6 | 10.4 | 6.9 | 173.6 |
| 2.5 | 191.1 | 8.9 | 62.9 | 19.5 | 13.0 | 8.7 | 217.0 |
| 2.6 | 198.8 | 9.2 | 65.5 | 20.3 | 13.5 | 9.0 | 225.7 |
| 2.7 | 206.4 | 9.6 | 68.0 | 21.1 | 14.1 | 9.4 | 234.4 |
| 2.8 | 214.1 | 9.9 | 70.5 | 21.9 | 14.6 | 9.7 | 243.1 |
| 2.9 | 221.7 | 10.3 | 73.0 | 22.6 | 15.1 | 10.1 | 251.8 |
| 3.0 | 229.4 | 10.6 | 75.5 | 23.4 | 15.6 | 10.4 | 260.5 |
| 3.1 | 237.0 | 11.0 | 78.0 | 24.2 | 16.1 | 10.8 | 269.1 |
| 3.2 | 244.7 | 11.4 | 80.6 | 25.0 | 16.7 | 11.1 | 277.8 |
| 3.3 | 252.3 | 11.7 | 83.1 | 25.8 | 17.2 | 11.5 | 286.5 |
| 3.4 | 259.9 | 12.1 | 85.6 | 26.5 | 17.7 | 11.8 | 295.2 |
| 3.5 | 267.6 | 12.4 | 88.1 | 27.3 | 18.2 | 12.2 | 303.9 |
| 3.6 | 275.2 | 12.8 | 90.6 | 28.1 | 18.8 | 12.5 | 312.5 |
| 3.7 | 282.9 | 13.1 | 93.2 | 28.9 | 19.3 | 12.8 | 321.2 |
| 3.8 | 290.5 | 13.5 | 95.7 | 29.7 | 19.8 | 13.2 | 329.9 |
| 3.9 | 298.2 | 13.8 | 98.2 | 30.4 | 20.3 | 13.5 | 338.6 |
| 4.0 | 305.8 | 14.2 | 100.7 | 31.2 | 20.8 | 13.9 | 347.3 |
| 4.1 | 313.5 | 14.5 | 103.2 | 32.0 | 21.4 | 14.2 | 356.0 |
| 4.2 | 321.1 | 14.9 | 105.7 | 32.8 | 21.9 | 14.6 | 364.6 |
| 4.3 | 328.8 | 15.3 | 108.3 | 33.6 | 22.4 | 14.9 | 373.3 |
| 4.4 | 336.4 | 15.6 | 110.8 | 34.3 | 22.9 | 15.3 | 382.0 |
| 4.5 | 344.0 | 16.0 | 113.3 | 35.1 | 23.4 | 15.6 | 390.7 |
| 4.6 | 351.7 | 16.3 | 115.8 | 35.9 | 24.0 | 16.0 | 399.4 |
| 4.7 | 359.3 | 16.7 | 118.3 | 36.7 | 24.5 | 16.3 | 408.0 |
| 4.8 | 367.0 | 17.0 | 120.9 | 37.5 | 25.0 | 16.7 | 416.7 |
| 4.9 | 374.6 | 17.4 | 123.4 | 38.3 | 25.5 | 17.0 | 425.4 |
| 5.0 | 382.3 | 17.7 | 125.9 | 39.0 | 26.0 | 17.4 | 434.1 |

Planning your fertiliser needs?

Use our Fert Finder tool
to determine your
nutrient plan



Contact us

Burdekin Bio Dunder® contractor
Griggs Haulage
M 0407 731 213

Agribusiness agronomists
M 0419 174 616 M 0417 161 805

Stockfeed Sales Team
M 0429 445 960 M 0428 161 190

Customer Service
1800 819 618
Bruce Highway, Sarina Q 4737
T 07 4940 9822
E AgServices@wilmar.com.au
www.wilmarsugaranz.com



Bio Dunder® liquid fertilisers

